

Deutsche Börse Group's T7

FIX LF Interface

Cash Message Reference

Release 10.0

FIX LF Version	10.0
FIX LF Subversion	C0001
Build Version	100.500.0.ga-100005050-18
Date	25 August 2021

©2021 Copyright by Deutsche Börse AG ("DBAG"). All rights reserved.

All intellectual property, proprietary and other rights and interests in this publication and the subject matter of this publication are owned by DBAG, other entities of Deutsche Börse Group or used under license from their respective owner. This includes, but is not limited to, registered designs and copyrights as well as trademark and service mark rights. Methods and devices described in this publication may be subject to patents or patent applications by entities of Deutsche Börse Group.

Specifically, the following trademarks and service marks are owned by entities of Deutsche Börse Group:

Buxl[®], DAX[®], DivDAX[®], eb.rexx[®], Eurex[®], Eurex Repo[®], Eurex Strategy WizardsSM, Euro GC Pooling[®], F7[®], FDAX[®], FWB[®], GC Pooling[®], GCPI[®], M7[®], MDAX[®], N7[®], ODAX[®], SDAX[®], T7[®], TecDAX[®], USD GC Pooling[®], VDAX[®], VDAX-NEW[®] and Xetra[®].

The following trademarks and service marks are used under license and are property of their respective owners:

All MSCI indexes are service marks and the exclusive property of MSCI Barra.

ATX[®], ATX[®] five, CECE[®] and RDX[®] are registered trademarks of Vienna Stock Exchange AG.

IPD[®] UK Annual All Property Index is a registered trademark of Investment Property Databank Ltd. IPD and has been licensed for the use by Eurex for derivatives.

SLI[®], SMI[®] and SMIM[®] are registered trademarks of SIX Swiss Exchange AG.

The STOXX[®] indexes, the data included therein and the trademarks used in the index names are the intellectual property of STOXX Limited and/or its licensors. Eurex derivatives based on the STOXX[®] indexes are in no way sponsored, endorsed, sold or promoted by STOXX and its licensors and neither STOXX nor its licensors shall have any liability with respect thereto.

Bloomberg Commodity IndexSM and any related sub-indexes are service marks of Bloomberg L.P.

PCS[®] and Property Claim Services[®] are registered trademarks of ISO Services, Inc.

Korea Exchange, KRX, KOSPI and KOSPI 200 are registered trademarks of Korea Exchange Inc.

BSE and SENSEX are trademarks/service marks of Bombay Stock Exchange ("BSE") and all rights accruing from the same, statutory or otherwise, wholly vest with BSE. Any violation of the above would constitute an offence under the law of India and international treaties governing the same.

Information contained in this publication may be erroneous and/or untimely. All descriptions, examples and calculations contained in this publication are for illustrative purposes only, and may be changed without further notice. Neither DBAG nor any entity of Deutsche Börse Group makes any express or implied representations or warranties regarding the information contained herein. This includes without limitation any implied warranty of the information's merchantability or fitness for any particular purpose and any warranty with respect to the accuracy, correctness, quality, completeness or timeliness of the information.

Neither DBAG nor any entity of Deutsche Börse Group shall be responsible or liable for any third party's use of any information contained in this publication under any circumstances. The information contained in this publication is not offered as and does not constitute investment advice, legal or tax advice, an offer or solicitation to sell or purchase any type of financial instrument.

Contents

1	List of Abbreviations	4
2	Introduction	5
3	Change Log	5
3.1	T7 Release 10.0 – FIX LF 10.0-C0001	5
3.2	T7 Release 9.0 – FIX LF 9.0-C0001	6
4	Message Formats	10
4.1	Data Types	10
5	Overview of Supported Message Types	12
6	Message Header and Trailer	13
6.1	Header	13
6.2	Trailer	15
7	Administrative Messages	16
7.1	Session Logon	17
7.2	Session Logout	19
7.3	Heartbeat	20
7.4	Test Request	21
7.5	Resend Request	22
7.6	Reject	23
7.7	Sequence Reset	25
8	Application Messages	26
8.1	User Request	27
8.2	User Response	28
8.3	User Notification	29
8.4	New Order Single	30
8.5	Order Cancel/Replace Request	37
8.6	Order Cancel Request	43
8.7	Execution Report	46
8.8	Order Mass Action Request	56
8.9	User Order Mass Action Report	60
8.10	Business Message Acknowledgment	64
8.11	Business Message Reject	65
8.12	Security Status Definition Request	67
8.13	Security Status	71
8.14	Cross Request	72
8.15	Quote Request	74
8.16	Quote	78
8.17	Trading Session Status	80
8.18	User Party Entitlements Update Report	81
8.19	User Party Action Report	83
8.20	User Party Risk Limits Update Report	85
8.21	Session Details List	87
8.22	Trade Capture Report	88
9	Occurrences	97
9.1	OrderAttributeGrp	97
9.2	Parties	98
9.3	RequestingParties	102
9.4	RootParties	103

9.5 TargetParties 104
9.6 TrdCapRptSideGrp 105
9.7 ValueChecksGrp 107

Contents

1 List of Abbreviations

Please find a list of all the abbreviations used in the document.

FIX	Financial Information eXchange
TCP/IP	Transmission Control Protocol / Internet Protocol
TES	T7 Entry Service
GUI	Graphical User Interface

2 Introduction

The Deutsche Börse Group's T7 is the industry-leading, multi-asset trading platform of the Deutsche Börse Group, its affiliates and partners.

The system has best-in-class performance and is scalable to support markets of any size. It can be customized to support different types of markets.

The T7 FIX LF interface is intended for participants that require a standard FIX connection to the exchange and supports all T7 market types.

The document "T7 FIX Gateway FIX 4.2 and 4.4 Manual" provides the description of the main concepts for all supported market types (cash and derivatives).

The purpose of this document is to provide all message formats for the cash market part of the FIX LF interface.

In addition to this document two corresponding XML files, the QuickFix Engine dictionary and a message reference file including message and field descriptions are published.

The FIX LF interface will make use of the FIX 4.4 version only.

3 Change Log

3.1 T7 Release 10.0 – FIX LF 10.0-C0001

Changes to the T7 Release 10.0 – FIX Gateway Simulation Version – mainly for Trading Sessions (should be seen in addition to the changes mentioned below for the Back-office Sessions:

- removed field *TransactTime(60)* removed from messages [NewOrderSingle \(D\)](#), [OrderCancelReplaceRequest \(G\)](#), [OrderCancelRequest \(F\)](#), [UserOrderMassActionRequest \(UCA\)](#).
- [BusinessMessageReject \(j\)](#) is used instead of
 - [UserResponse \(BF\)](#)
 - [OrderCancelReject \(9\)](#)
 - [ExecutionReport \(8\)](#)
 - [CrossRequestAck \(UDT\)](#)
 - [QuoteRequestReject \(AG\)](#)
 - [SecurityStatus \(f\)](#)
- removed fields *Side(54)* and *OrderQty (38)* from message [OrderCancelRequest \(F\)](#).
- replaced field *Ucurrency (30015)* replaced by *Currency (15)* in message [OrderCancelRequest \(F\)](#).
- OCO Orders are to be entered with *OrdType (40)=2 (Limit)* and *Price (44)*. Therefore, removed fields *TriggerType (1100)* and *TriggerPrice(1102)* from messages [NewOrderSingle \(D\)](#), [OrderCancelReplaceRequest \(G\)](#).
- removed field *ExDestination(100)* from all requests messages.
- removed fields *AvgPx (6)*, *SecondaryOrderID(198)* from message [ExecutionReport \(8\)](#).
- replaced field *SecurityStatus (965)* by *SecurityStatusIndicator (31965)* in message [SecurityStatusDefinitionRequest \(U27\)](#)
- set more fields in [ExecutionReport \(8\)](#) messages: more *Parties*, *TradeAtClose*, *CustOrdHandInst*.
- replace field *Utransacttime (30060)* by *Transacttime (60)* in [UserPartyActionReport \(UDI\)](#)

- added message [BusinessMessageAck](#) (U28) – for the the following cases (Trading Session only):
 - mass delete response when no order is affected.
 - cross interface order deletion (deletion of orders entered via ETI/T7 GUI).
 - response to [CrossRequest](#) (UDS)
 - response to [QuoteRequest](#) (R)
- removed fields *MarketID* (1301), *RequestResult* (1511), *ReturnCode* (25023), *ReturnCodeSource* (25024), *ReturnCodeText* (25025) from message [SecurityStatus](#) (f)
- removed fields *ExDestination*(100), *ReturnCode*(25023), *ReturnCodeSource*(25024), *UserStatusText*(927) from message [UserResponse](#) (BF)
- remove components *CrossRequestSideGrp*, *DisclosureInstructionGrp*, and fields *Price*(44), *CrossID* (548), *MarketID* (1301), *CrossRequestType* (28771), *CrossRequestTransType*(28772) from message [CrossRequest](#) (UDS)
- removed fields *MassActionType* (1373) and *UexDestination* (30100) from message [UserOrderMassActionRequest](#) (UCA).
- Trader Logon can be sent immediately after the Session Logon. There is no need to wait for a [TradingSessionStatus](#) (h) with Message processing resumed/suspended.
- "Unknown order state" messages are not implemented by FIX LF.
- the field *OrigClOrdId*(41) is always set in message [ExecutionReport](#) (8).
- replaced field *Text* (58) replaced by *FreeText1* (25007) in all order requests and execution report.
- the FIX LF connection will get closed if there is no [SessionLogon](#) (A) message within next 25 seconds.

3.2 T7 Release 9.0 – FIX LF 9.0-C0001

Changes to the T7 Release 9.0 – FIX Gateway Production Version:

- One TCP port for all FIX LF sessions.
- FIX 4.4 only - no FIX 4.2 support.
- No support of cross-market sessions.
- In all FIX LF requests the field *TargetCompID*(56) must be set to the XMIC code (e.g. XETR) the related FIX LF session belongs to.
- In all FIX LF notifications/responses the field *SenderCompID*(49) is set to the related T7 XMIC code (e.g. XETR).
- [Logon](#) Request (msgType="A"): added field *DefaultCstmAppVerID*(1408); removed field *TestMessageIndicator*(464).
- [Logon](#) Response ("A"): added fields *TradSesMode*(339), and *DefaultCstmAppVerSubID*(28763).

- Removed field *LastMsgSeqNumProcessed(369)* from the [Header](#).
- Field *ExecID(17)* has another format/content.
- All text fields are sent without filling blanks.
- No fragmentation needed: removed field *ULastFragment(30893)* from message [User Order Mass Action Report \("UBZ"\)](#).
- Removed field *SecondarySessionID (28767)* from message [Session Details List \("U6"\)](#).
- Order Drop Copy will also provide orders of the ETI HF sessions belonging to the business unit of the related FIX LF session.
- Removed valid values *Market Reset (102)*, *Service resumed (105)*, *No more messages for this trading venue (200)*, *Message processing suspended (202)*, *Message processing resumed (203)* from field *TradSesEvent* in message [Trading Session Status \("h"\)](#).
- No Password change possible via [Logon \("A"\)](#). Please use the SAP portal for maintaining the session password.
- Removed fields *AvgPx(6)*, *PreviouslyReported (570)* from message [Execution Report \("8"\)](#).
- Changed data type of field *MatchType(574)* from String to Int.
- No need for an XMIC field in outgoing FIX messages since this information is already in the *SenderCompID(49)*.
- Removed field *MarketID(1301)* from messages [Session Details List \("U6"\)](#), [User Order Mass Action Report \("UBZ"\)](#), [Trading Session Status \("h"\)](#).
- Removed field *ExDestination(100)* from [Execution Report \("8"\)](#).
- FIX LF Gateway access details (address and port) are provided via [Network Access Guide](#) - documentation only.
- Changed behaviour for [Execution Report \("8"\)](#) with *OrdStatus (39)* set to 4 (*Canceled*).
 - FIX LF provides Entering and Executing Trader/Firm and some more order information than FIX Gateway.
- Instrument Component:

- ProductID/SecurityID are provided in the fields *Symbol(55)/SecurityID(48)*.
- ISIN is provided in the field *SecurityAltID(455)*.
- Removed field *Currency(15)* from messages [Execution Report \("8"\)](#) and [User Order Mass Action Report \("UBZ"\)](#).
- Entering trader is not set for message [Execution Report \("8"\)](#) with *ExecType (150)* set to *L (Triggered by system)*.
- Removed fields *TriggerType(1100)* and *TriggerPrice(1102)* from message [Execution Report \("8"\)](#). The stop price of OCO orders is provided in field *StopPx (99)*.
- Removed field *SecondaryOrderID(198)* from messages [Execution Report \("8"\)](#), and [Trade Capture Report \("AE"\)](#).
- Information about executing session (occurrence: session ID) not always set in message [User Order Mass Action Report \("UBZ"\)](#). Then, the message informs all session of the related business unit about the scope of the cancellation.
- The field *HeartBtInt (108)* in the Session [Logon](#) request message ("A") must be greater than or equal to 30.
- The Session [Logon](#) request message ("A") must be sent within 25 seconds after the TCP connection has been established.
- The message [Session Details List \("U6"\)](#) will provide details for all trading sessions of the own business unit.
- Removed valid value 2 (*Regular Back Office Session*) from field *SessionSubMode (28735)* in message [Session Details List \("U6"\)](#).
- Removed field *ReturnCodeSource (25024)* from messages [Reject \("3"\)](#), [Execution Report \("8"\)](#).
- Removed fields *NotAffOrigClOrdID (1372)*, *AffectedOrigClOrdID (1824)* from message [User Order Mass Action Report \("UBZ"\)](#).
- Changed behavior for Session [Logon](#) request message ("A"):
 - (customer in) sequence number will be reset to 1 if *ResetSeqNumFlag* is set to *Y (Yes, reset Sequence numbers)*.
 - In case of missing required fields, T 7 does not send a [Logout](#) message ("5") and may not close the TCP connection immediately.

- As there is only one FIX LF gateway accessible (at a certain point in time), FIX LF does neither support load balancing nor any kind of failover triggered by FIX LF clients.
- Removed field *PreviouslyReported* (570) from message [Trade Capture Report](#) ("AE").
- Replaced field *Text* (58) by *FreeText1* (25007) in messages [Execution Report](#) ("8"), and [Trade Capture Report](#) ("AE").
- Removed fields *ReturnCode* (25023), *ReturnCodeText* (25025) from message [Execution Report](#) ("8"),

4 Message Formats

The following chapters provide details on the administrative and application messages used by FIX LF. Additionally, information on data types is provided.

The Interface version used by the participant needs to be provided during [Logon](#) in *DefaultCstmApp/VerID (1408)*; the corresponding response message will return the interface version, which the FIX LF Gateway currently uses, in the same field.

The interface version will allow the participant to recognize that FIX LF has changed. The build number shows to which FIX LF XML file, and the FIX LF message reference belongs to.

4.1 Data Types

FIX LF supports the following data types:

Data Type	Description
STRING	Alphanumeric free format strings containing characters from the following set: \x20, \x23-\x25, \x28-\x2A, \x2C-\x3B, \x3F, \x41-\x5F, \x61-\x7B, \x7D, \x7E.
INT (based on STRING)	Sequence of digits without commas or decimals and optional leading sign character.
FLOAT (based on STRING)	Sequence of digits with optional decimal point and leading sign character.
CHAR (based on STRING)	Single character value, can include any alphanumeric character.
BOOLEAN (based on CHAR)	Char field containing either 'Y' or 'N'.
MULTIPLEVALUESSTRING (based on STRING)	String containing one or more space delimited char fields.
LOCALMKTDATE (based on STRING)	Date of Local Market in YYYYMMDD format.
CURRENCY (based on STRING)	ISO currency code (3 characters).
LENGTH (based on INT)	Length of the FIX LF message in bytes. Value must be positive.
SEQNUM (based on INT)	Message sequence number. Value must be positive.
NUMINGROUP (based on INT)	Number of entries in a repeating group. Value must be positive.
QTY (based on FLOAT)	FLOAT (15.4) field with 15 digits before decimal point and at most 4 significant decimal places.
PRICE (based on FLOAT)	FLOAT (11.8) field representing a price with 11 digits before decimal point and at most 8 significant decimal places.
AMT (based on FLOAT)	FLOAT (11.8) field representing a prices times a quantity with 11 digits before decimal point and at most 8 significant decimal places.
UTCTIMESTAMP (based on STRING)	Time/date combination in YYYYMMDD-HH:MM:SS[.ssssssss] format. The milli/micro/nanosecond part is optional. The FIX LF gateway provides timestamps in seconds only.

Data Type	Description
PERCENTAGE (based on FLOAT)	FLOAT (3.7) field representing a percentage with 3 digits before decimal point and at most 7 significant decimal places.

5 Overview of Supported Message Types

The following message formats are based on:

- Interface Version: 10.0
- Build Number: 100.500.0.ga-100005050-18

6 Message Header and Trailer

6.1 Header

Tag	Field Name	Req'd	Data Type	Description						
8	BeginString	Y	STRING	Identifies beginning of new message and protocol version. <table border="1"> <tr> <th>Value</th> <th>Description</th> </tr> <tr> <td>FIX.4.4</td> <td>VERSION 44</td> </tr> </table>	Value	Description	FIX.4.4	VERSION 44		
Value	Description									
FIX.4.4	VERSION 44									
9	BodyLength	Y	LENGTH	Message length, in bytes, forward to the CheckSum field.						
35	MsgType	Y	STRING (1-4)	Defines the message type. Valid values are listed after this table.						
34	MsgSeqNum	Y	SEQNUM	Message sequence number						
43	PossDupFlag	N	BOOLEAN	Indicates possible retransmission of message with this sequence number. The valid value 'Y' can only be set by FIX LF. <table border="1"> <tr> <th>Value</th> <th>Description</th> </tr> <tr> <td>N</td> <td>Original transmission</td> </tr> <tr> <td>Y</td> <td>Possible duplicate</td> </tr> </table>	Value	Description	N	Original transmission	Y	Possible duplicate
Value	Description									
N	Original transmission									
Y	Possible duplicate									
49	SenderCompID	Y	STRING	Assigned identifier of the party sending the message.						
52	SendingTime	Y	UTCTIME-STAMP	Time of message transmission.						
56	TargetCompID	Y	STRING	Assigned identifier of the party receiving the message. For requests the field must be set to the XMIC code (e.g. XETR) the related FIX LF session belongs to. For responses/notification the field is set to the client's compID.						
97	PossResend	N	BOOLEAN	Indicates that message may contain information that has been sent under another sequence number. The valid value 'Y' can only be set by FIX LF. <table border="1"> <tr> <th>Value</th> <th>Description</th> </tr> <tr> <td>N</td> <td>Original transmission</td> </tr> <tr> <td>Y</td> <td>Possible Resend</td> </tr> </table>	Value	Description	N	Original transmission	Y	Possible Resend
Value	Description									
N	Original transmission									
Y	Possible Resend									
122	OrigSendingTime	N	UTCTIME-STAMP	Required if PossDupFlag (43) = "Y".						

Valid Values of MsgType (datatype STRING(1-4))

Valid Value	Description
0	Heartbeat
1	Test Request
2	Resend Request
3	Reject
4	Sequence Reset
5	Logout
8	Execution Report
A	Logon
D	New Order Single Request
F	Order Cancel Request
G	Order Cancel/Replace Request
AE	Trade Capture Report
BE	User Request
BF	User Response
UBZ	User order mass action report
UCA	User order mass action request
UCB	User Notification
UCL	User Party Risk Limits Request
UCM	User Party Risk Limits Report
U6	Session Details List
h	Trading Session Status
j	Business Message Reject
UCZ	User Party Entitlements Update Report
UDI	User Party Action Report
UCR	User Party Risk Limits Update Report
U27	Security Status Definition Request
f	Security Status
UDS	Cross Request
U28	Business Message Ack
R	Quote Request
S	Quote

6.2 Trailer

Tag	Field Name	Req'd	Data Type	Description
10	Checksum	Y	INT	Three byte, simple checksum.

7 Administrative Messages

Overview of messages contained in this section:

FIX Message	MsgType
Session Logon	A
Session Logout	5
Heartbeat	0
Test Request	1
Resend Request	2
Reject	3
Sequence Reset	4

7.1 Session Logon

The Logon message allows the client to connect to the FIX Gateway. It is also used by the FIX Gateway to confirm the logon.

Tag	Field Name	Req'd	Data Type	Description						
<i><Header with MsgType='A' /></i>										
98	EncryptMethod	Y	INT	Method of encryption. <table border="1"> <tr> <th>Value</th> <th>Description</th> </tr> <tr> <td>0</td> <td>None/other</td> </tr> </table>	Value	Description	0	None/other		
Value	Description									
0	None/other									
108	HeartBtInt	Y	INT	Heartbeat interval (seconds). The value must be greater than or equal to 30.						
554	Password	N	STRING (1-32)	Password.						
141	ResetSeqNumFlag	N	BOOLEAN	Logon requests with ResetSeqNumFlag (141) set to Y will trigger a reset of Sequence numbers at the participant side only. The Sequence numbering for the messages generated from FIX Gateway will remain unchanged. <table border="1"> <tr> <th>Value</th> <th>Description</th> </tr> <tr> <td>N</td> <td>No</td> </tr> <tr> <td>Y</td> <td>Yes, reset Sequence numbers</td> </tr> </table>	Value	Description	N	No	Y	Yes, reset Sequence numbers
Value	Description									
N	No									
Y	Yes, reset Sequence numbers									
1600	FIXEngineName	N	STRING (1-30)	Provides the name of the infrastructure component being used for session level communication. Normally this would be the FIX Engine or FIX Gateway product name. This field is required in the messages sent to the FIX Gateway.						
1601	FIXEngineVersion	N	STRING (1-30)	Provides the version of the infrastructure component. This field is required in the messages sent to the FIX Gateway.						
1602	FIXEngineVendor	N	STRING (1-30)	Provides the name of the vendor providing the infrastructure component. This field is required in the messages sent to the FIX Gateway.						
1603	ApplicationSystem-Name	N	STRING (1-30)	Provides the name of the application system being used to generate FIX application messages. This will normally be a trading system, OMS, or EMS. This field is required in the messages sent to the FIX Gateway.						
1604	ApplicationSystem-Version	N	STRING (1-30)	Provides the version of the application system being used to initiate FIX application messages. This field is required in the messages sent to the FIX Gateway.						

Tag	Field Name	Req'd	Data Type	Description												
1605	ApplicationSystem-Vendor	N	STRING (1-30)	Provides the vendor of the application system. This field is required in the messages sent to the FIX Gateway.												
1408	DefaultCstmAppVer-ID	Y	STRING (1-30)	FIX LF version.												
28763	DefaultCstmAppVer-SubID	N	STRING (1-5)	Interface subversion. Identifies interface changes within one T7 release. Response only. <table border="1" data-bbox="869 734 1286 824"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>C0001</td> <td>Cash subversion</td> </tr> </tbody> </table>	Value	Description	C0001	Cash subversion								
Value	Description															
C0001	Cash subversion															
339	TradSesMode	N	INT	Trading Session Mode. Response only. <table border="1" data-bbox="869 891 1286 1144"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Development</td> </tr> <tr> <td>2</td> <td>Simulation</td> </tr> <tr> <td>3</td> <td>Production</td> </tr> <tr> <td>4</td> <td>Acceptance</td> </tr> <tr> <td>5</td> <td>Disaster Recovery</td> </tr> </tbody> </table>	Value	Description	1	Development	2	Simulation	3	Production	4	Acceptance	5	Disaster Recovery
Value	Description															
1	Development															
2	Simulation															
3	Production															
4	Acceptance															
5	Disaster Recovery															
1685	ThrottleInst	Y	INT	Instructs the gateway how to handle throttled transactions. <table border="1" data-bbox="869 1245 1286 1610"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Reject if throttle limit exceeded</td> </tr> <tr> <td>1</td> <td>Queue if throttle limit exceeded (queuing time limited)</td> </tr> <tr> <td>2</td> <td>Queue if throttle limit exceeded (queuing time unlimited)</td> </tr> </tbody> </table>	Value	Description	0	Reject if throttle limit exceeded	1	Queue if throttle limit exceeded (queuing time limited)	2	Queue if throttle limit exceeded (queuing time unlimited)				
Value	Description															
0	Reject if throttle limit exceeded															
1	Queue if throttle limit exceeded (queuing time limited)															
2	Queue if throttle limit exceeded (queuing time unlimited)															
28790	ThrottleMaxQueue-Time	N	INT	Maximum queuing time of requests in milliseconds. Value must be > 0, if ThrottleInst = 1, otherwise field must not be set.												
<i><Trailer /></i>																

7.2 Session Logout

The Logout message initiates or confirms the termination of a FIX session. It is also used by the FIX Gateway to reject the FIX session logon.

Tag	Field Name	Req'd	Data Type	Description						
<i><Header with MsgType='5' /></i>										
58	Text	N	STRING (1-128)	Free format text string.						
1409	SessionStatus	N	INT	Session status. <table border="1" data-bbox="868 707 1286 875"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>Session logout complete</td> </tr> <tr> <td>5</td> <td>Invalid user name or password</td> </tr> </tbody> </table>	Value	Description	4	Session logout complete	5	Invalid user name or password
Value	Description									
4	Session logout complete									
5	Invalid user name or password									
<i><Trailer /></i>										

7.3 Heartbeat

The Heartbeat message may be used by the client and the FIX Gateway to monitor the status of the communication link during periods of inactivity.

Tag	Field Name	Req'd	Data Type	Description
<i><Header with MsgType='0' /></i>				
112	TestReqID	N	STRING	Identifier included in Test Request message to be returned in resulting Heartbeat.
<i><Trailer /></i>				

7.4 Test Request

The Test Request message is used to trigger a heartbeat message from the opposing application.

Tag	Field Name	Req'd	Data Type	Description
<Header with MsgType='1' />				
112	TestReqID	Y	STRING	Identifier included in Test Request message to be returned in resulting Heartbeat.
<Trailer />				

7.5 Resend Request

The Resend Request is used by the client and the FIX Gateway to initiate the retransmission of messages in a recovery scenario.

Tag	Field Name	Req'd	Data Type	Description
<i><Header with MsgType='2' /></i>				
7	BeginSeqNo	Y	SEQNUM	Message Sequence number of first message in range to be resent.
16	EndSeqNo	Y	SEQNUM	Message Sequence number of last message in range to be resent.
<i><Trailer /></i>				

7.6 Reject

The Reject message is used by the FIX Gateway when a message is received but cannot be properly processed due to a session-level rule violation.

Tag	Field Name	Req'd	Data Type	Description
<i><Header with MsgType='3' /></i>				
45	RefSeqNum	Y	SEQNUM	Reference message Sequence number.
58	Text	N	STRING (1-128)	Free format text string.
371	RefTagID	N	INT	The tag number of the FIX field being referenced.
372	RefMsgType	Y	STRING	The MsgType (35) of the FIX message being referenced.

Tag	Field Name	Req'd	Data Type	Description																																										
373	SessionRejectReason	N	INT	Code to identify reason for a session-level Reject message. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Invalid tag number</td> </tr> <tr> <td>1</td> <td>Required tag missing</td> </tr> <tr> <td>2</td> <td>Tag not defined for this message type</td> </tr> <tr> <td>3</td> <td>Undefined tag</td> </tr> <tr> <td>4</td> <td>Tag specified without value</td> </tr> <tr> <td>5</td> <td>Value is incorrect for this tag</td> </tr> <tr> <td>6</td> <td>Incorrect data format for value</td> </tr> <tr> <td>7</td> <td>Decryption problem</td> </tr> <tr> <td>8</td> <td>Signature problem</td> </tr> <tr> <td>9</td> <td>CompID Problem</td> </tr> <tr> <td>10</td> <td>Sending time accuracy problem</td> </tr> <tr> <td>11</td> <td>Invalid msgtype</td> </tr> <tr> <td>12</td> <td>XML Validation Error</td> </tr> <tr> <td>13</td> <td>Tag appears more than once</td> </tr> <tr> <td>14</td> <td>Tag specified out of required order</td> </tr> <tr> <td>15</td> <td>Repeating group fields out of order</td> </tr> <tr> <td>16</td> <td>Incorrect NumInGroup count for repeating group</td> </tr> <tr> <td>17</td> <td>Non 'data' value includes field delimiter</td> </tr> <tr> <td>18</td> <td>Invalid/Unsupported Application Version</td> </tr> <tr> <td>99</td> <td>Other</td> </tr> </tbody> </table>	Value	Description	0	Invalid tag number	1	Required tag missing	2	Tag not defined for this message type	3	Undefined tag	4	Tag specified without value	5	Value is incorrect for this tag	6	Incorrect data format for value	7	Decryption problem	8	Signature problem	9	CompID Problem	10	Sending time accuracy problem	11	Invalid msgtype	12	XML Validation Error	13	Tag appears more than once	14	Tag specified out of required order	15	Repeating group fields out of order	16	Incorrect NumInGroup count for repeating group	17	Non 'data' value includes field delimiter	18	Invalid/Unsupported Application Version	99	Other
Value	Description																																													
0	Invalid tag number																																													
1	Required tag missing																																													
2	Tag not defined for this message type																																													
3	Undefined tag																																													
4	Tag specified without value																																													
5	Value is incorrect for this tag																																													
6	Incorrect data format for value																																													
7	Decryption problem																																													
8	Signature problem																																													
9	CompID Problem																																													
10	Sending time accuracy problem																																													
11	Invalid msgtype																																													
12	XML Validation Error																																													
13	Tag appears more than once																																													
14	Tag specified out of required order																																													
15	Repeating group fields out of order																																													
16	Incorrect NumInGroup count for repeating group																																													
17	Non 'data' value includes field delimiter																																													
18	Invalid/Unsupported Application Version																																													
99	Other																																													
25023	ReturnCode	N	INT	Return code.																																										
<i><Trailer /></i>																																														

7.7 Sequence Reset

The Sequence Reset message has two modes: Gap Fill mode is used in response to a Resend Request when one or more messages must be skipped over. Reset mode specifies an arbitrarily higher new Sequence number after an uncoverable application failure.

Tag	Field Name	Req'd	Data Type	Description						
<i><Header with MsgType='4' /></i>										
123	GapFillFlag	N	BOOLEAN	Indicates that the Sequence Reset message is replacing administrative or application messages which will not be resent. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>N</td> <td>Sequence Reset, Ignore Msg Seq Num</td> </tr> <tr> <td>Y</td> <td>Gap Fill Message, Msg Seq Num Field Valid</td> </tr> </tbody> </table>	Value	Description	N	Sequence Reset, Ignore Msg Seq Num	Y	Gap Fill Message, Msg Seq Num Field Valid
Value	Description									
N	Sequence Reset, Ignore Msg Seq Num									
Y	Gap Fill Message, Msg Seq Num Field Valid									
36	NewSeqNo	Y	SEQNUM	New Sequence number.						
<i><Trailer /></i>										

8 Application Messages

Overview of messages contained in this section:

FIX Message	MsgType
User Request	BE
User Response	BF
User Notification	UCB
New Order Single	D
Order Cancel/Replace Request	G
Order Cancel Request	F
Execution Report	8
Order Mass Action Request	UCA
User Order Mass Action Report	UBZ
Business Message Acknowledgment	U28
Business Message Reject	j
Security Status Definition Request	U27
Security Status	f
Cross Request	UDS
Quote Request	R
Quote	S
Trading Session Status	h
User Party Entitlements Update Report	UCZ
User Party Action Report	UDI
User Party Risk Limits Update Report	UCR
Session Details List	U6
Trade Capture Report	AE

8.1 User Request

Each trader needs to logon/logoff to/from T7 via the User Request message.

Tag	Field Name	Req'd	Data Type	Description						
<i><Header with MsgType='BE' /></i>										
553	Username	Y	INT	User ID						
554	Password	N	STRING (1-32)	Password.						
923	UserRequestID	Y	STRING (1-20)	Unique identifier for a User Request.						
924	UserRequestType	Y	INT	Indicates the action required by a User Request Message. <table border="1" data-bbox="868 759 1286 889"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Log on user</td> </tr> <tr> <td>2</td> <td>Log off user</td> </tr> </tbody> </table>	Value	Description	1	Log on user	2	Log off user
Value	Description									
1	Log on user									
2	Log off user									
<i><Trailer /></i>										

8.2 User Response

The User Response message is used to confirm the trader logon/logoff.

Tag	Field Name	Req'd	Data Type	Description						
<i><Header with MsgType='BF' /></i>										
553	Username	Y	INT	User ID						
923	UserRequestID	Y	STRING (1-20)	Unique identifier for a User Request.						
926	UserStatus	Y	INT	Indicates the status of a user. <table border="1" data-bbox="869 674 1287 801"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Logged in</td> </tr> <tr> <td>2</td> <td>Not logged in</td> </tr> </tbody> </table>	Value	Description	1	Logged in	2	Not logged in
Value	Description									
1	Logged in									
2	Not logged in									
<i><Trailer /></i>										

8.3 User Notification

The User Notification message is used to send information of an unsolicited trader logoff or send information of legal notifications.

Tag	Field Name	Req'd	Data Type	Description								
<i><Header with MsgType='UCB' /></i>												
<i><UsernameGrp>, cardinality: unrestricted, record counter: NoUsernames (809)</i>												
553	Username	Y	INT	User ID								
<i></UsernameGrp></i>												
58	Text	N	STRING (1-128)	Free format text string.								
926	UserStatus	Y	INT	Indicates the status of a user. <table border="1" data-bbox="868 831 1286 1039"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>7</td> <td>Forced user logout by exchange</td> </tr> <tr> <td>10</td> <td>User stopped</td> </tr> <tr> <td>11</td> <td>User released</td> </tr> </tbody> </table>	Value	Description	7	Forced user logout by exchange	10	User stopped	11	User released
Value	Description											
7	Forced user logout by exchange											
10	User stopped											
11	User released											
<i><Trailer /></i>												

8.4 New Order Single

The New Order Single message is used by the client to submit an order for single leg securities.

Tag	Field Name	Req'd	Data Type	Description										
<i><Header with MsgType='D' /></i>														
<i><Parties>, cardinality: 1-6, record counter: NoPartyIDs (453), containing occurrences: client_id, entering_trader*, execution_identifier_human, execution_identifier_algo, investment_identifier_human, investment_identifier_algo</i>														
448	>PartyID	Y	STRING (1-35)	Party identifier/code.										
447	>PartyIDSource	Y	CHAR	Identifies class or source of the PartyID (448) value. Required if PartyID is specified. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>D</td> <td>Proprietary custom code</td> </tr> <tr> <td>P</td> <td>Short code identifier</td> </tr> </tbody> </table>	Value	Description	D	Proprietary custom code	P	Short code identifier				
Value	Description													
D	Proprietary custom code													
P	Short code identifier													
452	>PartyRole	Y	INT	Party Role. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>Client ID</td> </tr> <tr> <td>12</td> <td>Executing trader</td> </tr> <tr> <td>36</td> <td>Entering trader</td> </tr> <tr> <td>122</td> <td>Investment decision maker</td> </tr> </tbody> </table>	Value	Description	3	Client ID	12	Executing trader	36	Entering trader	122	Investment decision maker
Value	Description													
3	Client ID													
12	Executing trader													
36	Entering trader													
122	Investment decision maker													
2376	>PartyRoleQualifier	N	INT	Indicates the nature of value submitted in the field PartyID (448). PartyRoleQualifier (2376) = 21 (Specialist) and 22 (Algorithm) are only possible together with PartyIDSource (447) = 'D'. PartyRoleQualifier (2376) = 24 (Natural person) is only possible together with PartyIDSource (447) = 'P'. PartyRoleQualifier (2376) = 21 (Specialist) is not allowed in request messages. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>21</td> <td>Specialist</td> </tr> <tr> <td>22</td> <td>Algorithm</td> </tr> <tr> <td>24</td> <td>Natural person</td> </tr> </tbody> </table>	Value	Description	21	Specialist	22	Algorithm	24	Natural person		
Value	Description													
21	Specialist													
22	Algorithm													
24	Natural person													
802	>NoPartySubIDs	N	NUMINGROUP	Number of PartySubIDs. Only one entry. Only in combination with PartyRole (452) = 7 (Entering firm), 12 (Executing trader) and 36 (Entering trader) possible.										
523	>PartySubID	N	STRING (1-6)	Firm or Trader Short Name, depending on the value of field PartySubIDType(803).										

Tag	Field Name	Req'd	Data Type	Description												
803	>PartySubIDType	N	INT	Type of PartySubID. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Firm</td> </tr> <tr> <td>2</td> <td>Person</td> </tr> </tbody> </table>	Value	Description	1	Firm	2	Person						
Value	Description															
1	Firm															
2	Person															
</Parties>																
<Instrument>																
55	Symbol	Y	STRING (1-10)	T7 product identifier. Field must be set to '[N/A]' in FIX requests where the ISIN is used as instrument identifier.												
48	SecurityID	N	INT(20)	T7 instrument identifier.												
22	SecurityIDSource	N	STRING (1)	Source of the securityID <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>M</td> <td>Marketplace-assigned identifier</td> </tr> </tbody> </table>	Value	Description	M	Marketplace-assigned identifier								
Value	Description															
M	Marketplace-assigned identifier															
<SecurityAltIDGrp>, cardinality: 0-1, record counter: NoSecurityAltID (454)																
455	>SecurityAltID	Y	STRING (1-12)	Security identifier as ISIN												
456	>SecurityAltIDSource	Y	STRING (1)	Source of the SecurityAltID (455). Only ISIN is allowed. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>ISIN</td> </tr> </tbody> </table>	Value	Description	4	ISIN								
Value	Description															
4	ISIN															
</SecurityAltIDGrp>																
223	CouponRate	N	PERCENTAGE	The rate of interest that, when multiplied by the principal, par value, or face value of a bond, provides the currency amount of the periodic interest payment. The coupon is always cited, along with maturity, in any quotation of a bond's price.												
28890	DeliveryType	N	INT	Identifies type of settlement. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Auslandskassenverein (AKV)</td> </tr> <tr> <td>2</td> <td>Girosammelverwahrung (GS)</td> </tr> <tr> <td>3</td> <td>Streifbandverwahrung (STR)</td> </tr> <tr> <td>4</td> <td>Wertpapierrechnung (WPR)</td> </tr> <tr> <td>5</td> <td>Non-collective safe custody securities to be settled via T2S (AKT)</td> </tr> </tbody> </table>	Value	Description	1	Auslandskassenverein (AKV)	2	Girosammelverwahrung (GS)	3	Streifbandverwahrung (STR)	4	Wertpapierrechnung (WPR)	5	Non-collective safe custody securities to be settled via T2S (AKT)
Value	Description															
1	Auslandskassenverein (AKV)															
2	Girosammelverwahrung (GS)															
3	Streifbandverwahrung (STR)															
4	Wertpapierrechnung (WPR)															
5	Non-collective safe custody securities to be settled via T2S (AKT)															

Tag	Field Name	Req'd	Data Type	Description	
28896	LastCouponDeviation-Indicator	N	INT	Last coupon deviation indicator.	
				Value	Description
				0	None
				1	Short period
				2	Long period
				3	Only one coupon
				4	Short - two interest payments due
				5	Long - two interest payments due
6	Perpetual				
28897	RefinancingEligibility-Indicator	N	INT	Ability of a security to be accepted for refinancing.	
				Value	Description
				0	No
				1	Yes
</Instrument>					
<TrdgSesGrp>, cardinality: 0-1, record counter: NoTradingSessions (386)					
336	>TradingSessionID	Y	INT	Identifier for trading session.	
				Value	Description
				1	Day
625	>TradingSessionSub-ID	Y	INT	This field marks orders for a special trading phase.	
				Value	Description
				2	Opening auction
				4	Closing auction
				6	Scheduled intraday auction only
				8	Auction only
105	Special auction				
</TrdgSesGrp>					
<PegInstructions>					
211	PegOffsetValue	N	PRICE	Amount (signed) added to the peg for a pegged order in the context of the PegOffsetType (836).	

Tag	Field Name	Req'd	Data Type	Description						
836	PegOffsetType	N	INT	Type of Peg Offset value. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Price</td> </tr> <tr> <td>4</td> <td>Percentage</td> </tr> </tbody> </table>	Value	Description	0	Price	4	Percentage
Value	Description									
0	Price									
4	Percentage									
</PegInstructions>										
<MtchgInst>, cardinality: 0-1, record counter: NoMatchInst (1624)										
1625	>MatchInst	Y	INT	Matching Instruction for the order. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>Do not match</td> </tr> </tbody> </table>	Value	Description	2	Do not match		
Value	Description									
2	Do not match									
28744	>MatchInstCrossID	Y	INT(10)	Numeric identifier. Contains the Self Match Prevention ID.						
</MtchgInst>										
<DisplayInstruction>										
1138	DisplayQty	Y	QTY	This field provides the display quantity. For iceberg order entry or modify with DisplayMethod						
1084	DisplayMethod	Y	CHAR	Defines if the value of the peak quantity after a refresh will be determined absolutely (using the initial value of the DisplayQty (1138)) or randomly (using a random value between DisplayLowQty (1085) and DisplayHighQty (1086)). <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Initial</td> </tr> <tr> <td>3</td> <td>Random</td> </tr> </tbody> </table>	Value	Description	1	Initial	3	Random
Value	Description									
1	Initial									
3	Random									
1085	DisplayLowQty	N	QTY	Defines the lower quantity limit to a randomized refresh of displayed quantity. DisplayLowQty must be less than or equal to DisplayHighQty (1086). Required if DisplayMethod (1084) = "3".						
1086	DisplayHighQty	N	QTY	Defines the upper quantity limit to a randomized refresh of displayed quantity. Required if DisplayMethod (1084) = "3".						
</DisplayInstruction>										
<OrderAttributeGrp>, cardinality: 0-1, record counter: NoOrderAttributes (2593), containing occurrences: liquidity_provision_activity_order										
2594	>OrderAttributeType	N	INT	Type of order attribute. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>Liquidity Provision Activity Order</td> </tr> </tbody> </table>	Value	Description	2	Liquidity Provision Activity Order		
Value	Description									
2	Liquidity Provision Activity Order									

Tag	Field Name	Req'd	Data Type	Description												
2595	>OrderAttributeValue	N	CHAR	Value associated with the order attribute type specified in OrderAttributeType (2594). <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Y</td> <td>Attribute is set.</td> </tr> </tbody> </table>	Value	Description	Y	Attribute is set.								
Value	Description															
Y	Attribute is set.															
</OrderAttributeGrp>																
<ValueChecksGrp>, cardinality: 3, record counter: NoValueChecks (1868), containing occurrences: price_check*, notional_value_check*, quantity_check*																
1869	ValueCheckType	Y	INT	Type of value to be checked. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Price check</td> </tr> <tr> <td>2</td> <td>Notional value check</td> </tr> <tr> <td>3</td> <td>Quantity check</td> </tr> </tbody> </table>	Value	Description	1	Price check	2	Notional value check	3	Quantity check				
Value	Description															
1	Price check															
2	Notional value check															
3	Quantity check															
1870	ValueCheckAction	Y	INT	Action to be taken for the ValueCheckType (1869). ValueCheckAction (1870) = '2' (Best effort) is only possible, if ValueCheckType (1869) = '1' (Price check). <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Do not check</td> </tr> <tr> <td>1</td> <td>Check</td> </tr> </tbody> </table>	Value	Description	0	Do not check	1	Check						
Value	Description															
0	Do not check															
1	Check															
</ValueChecksGrp>																
11	CIOrdID	Y	STRING (1-20)	Unique customer defined order request identifier												
15	Currency	N	CURRENCY	Currency used for price. The combination of an ISIN with a defined currency will identify uniquely an instrument.												
18	ExecInst	N	MULTIPLE-VALUESTRING	Instructions for order handling. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>a</td> <td>Trailing Stop Peg</td> </tr> <tr> <td>6</td> <td>Participate don't initiate (Book or cancel)</td> </tr> </tbody> </table>	Value	Description	a	Trailing Stop Peg	6	Participate don't initiate (Book or cancel)						
Value	Description															
a	Trailing Stop Peg															
6	Participate don't initiate (Book or cancel)															
38	OrderQty	Y	QTY	Total Order Quantity.												
40	OrdType	Y	CHAR	Order type. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Market</td> </tr> <tr> <td>2</td> <td>Limit</td> </tr> <tr> <td>3</td> <td>Stop</td> </tr> <tr> <td>4</td> <td>Stop limit</td> </tr> <tr> <td>P</td> <td>Pegged</td> </tr> </tbody> </table>	Value	Description	1	Market	2	Limit	3	Stop	4	Stop limit	P	Pegged
Value	Description															
1	Market															
2	Limit															
3	Stop															
4	Stop limit															
P	Pegged															
44	Price	N	PRICE	Limit price.												

Tag	Field Name	Req'd	Data Type	Description														
54	Side	Y	CHAR	Side <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Buy</td> </tr> <tr> <td>2</td> <td>Sell</td> </tr> </tbody> </table>	Value	Description	1	Buy	2	Sell								
Value	Description																	
1	Buy																	
2	Sell																	
25007	FreeText1	N	STRING (1-12)	First free-format text field for trader-specific or customer-related comments.														
59	TimelnForce	N	CHAR	Execution and trading restriction parameters. Will be defaulted to "0" (Day) if missing. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Day</td> </tr> <tr> <td>1</td> <td>Good till Cancel</td> </tr> <tr> <td>3</td> <td>Immediate or Cancel</td> </tr> <tr> <td>4</td> <td>Fill or Kill</td> </tr> <tr> <td>5</td> <td>Good till Crossing</td> </tr> <tr> <td>6</td> <td>Good till Date</td> </tr> </tbody> </table>	Value	Description	0	Day	1	Good till Cancel	3	Immediate or Cancel	4	Fill or Kill	5	Good till Crossing	6	Good till Date
Value	Description																	
0	Day																	
1	Good till Cancel																	
3	Immediate or Cancel																	
4	Fill or Kill																	
5	Good till Crossing																	
6	Good till Date																	
99	StopPx	N	PRICE	Stop price.														
117	QuoteID	N	INT(20)	Unique identifier for quote.														
432	ExpireDate	N	LOCALMKT-DATE	Date of order expiration.														
1724	OrderOrigination	N	INT	Direct market access identifier. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>5</td> <td>Direct market access</td> </tr> </tbody> </table>	Value	Description	5	Direct market access										
Value	Description																	
5	Direct market access																	
1815	TradingCapacity	Y	INT	Trading capacity. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Customer (Agency)</td> </tr> <tr> <td>5</td> <td>Principal (Proprietary)</td> </tr> <tr> <td>6</td> <td>Market Maker</td> </tr> <tr> <td>9</td> <td>Riskless Principal</td> </tr> </tbody> </table>	Value	Description	1	Customer (Agency)	5	Principal (Proprietary)	6	Market Maker	9	Riskless Principal				
Value	Description																	
1	Customer (Agency)																	
5	Principal (Proprietary)																	
6	Market Maker																	
9	Riskless Principal																	
25008	FreeText2	N	STRING (1-12)	Second free-format text field for trader-specific or customer-related comments.														
25107	FreeText4	N	STRING (1-16)	Fourth free-format text field for trader-specific or customer related comments.														
25125	VolumeDiscoveryPrice	N	PRICE	Indicates the second limit price of a volume discovery order.														

Tag	Field Name	Req'd	Data Type	Description						
30625	TradeAtCloseOptIn	N	BOOLEAN	Indicates whether this order is eligible for Trade at Close match. <table border="1"><thead><tr><th>Value</th><th>Description</th></tr></thead><tbody><tr><td>N</td><td>Not eligible for Trade at Close match</td></tr><tr><td>Y</td><td>Eligible for Trade at Close match</td></tr></tbody></table>	Value	Description	N	Not eligible for Trade at Close match	Y	Eligible for Trade at Close match
Value	Description									
N	Not eligible for Trade at Close match									
Y	Eligible for Trade at Close match									
<Trailer />										

8.5 Order Cancel/Replace Request

The Order Cancel/Replace Request is used to modify an existing order.

Tag	Field Name	Req'd	Data Type	Description										
<Header with MsgType='G' />														
<Parties>, cardinality: 1-6, record counter: NoPartyIDs (453), containing occurrences: client_id, entering_trader*, execution_identifier_human, execution_identifier_algo, investment_identifier_human, investment_identifier_algo														
448	>PartyID	Y	STRING (1-35)	Party identifier/code.										
447	>PartyIDSource	Y	CHAR	Identifies class or source of the PartyID (448) value. Required if PartyID is specified. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>D</td> <td>Proprietary custom code</td> </tr> <tr> <td>P</td> <td>Short code identifier</td> </tr> </tbody> </table>	Value	Description	D	Proprietary custom code	P	Short code identifier				
Value	Description													
D	Proprietary custom code													
P	Short code identifier													
452	>PartyRole	Y	INT	Party Role. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>Client ID</td> </tr> <tr> <td>12</td> <td>Executing trader</td> </tr> <tr> <td>36</td> <td>Entering trader</td> </tr> <tr> <td>122</td> <td>Investment decision maker</td> </tr> </tbody> </table>	Value	Description	3	Client ID	12	Executing trader	36	Entering trader	122	Investment decision maker
Value	Description													
3	Client ID													
12	Executing trader													
36	Entering trader													
122	Investment decision maker													
2376	>PartyRoleQualifier	N	INT	Indicates the nature of value submitted in the field PartyID (448). PartyRoleQualifier (2376) = 21 (Specialist) and 22 (Algorithm) are only possible together with PartyIDSource (447) = 'D'. PartyRoleQualifier (2376) = 24 (Natural person) is only possible together with PartyIDSource (447) = 'P'. PartyRoleQualifier (2376) = 21 (Specialist) is not allowed in request messages. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>21</td> <td>Specialist</td> </tr> <tr> <td>22</td> <td>Algorithm</td> </tr> <tr> <td>24</td> <td>Natural person</td> </tr> </tbody> </table>	Value	Description	21	Specialist	22	Algorithm	24	Natural person		
Value	Description													
21	Specialist													
22	Algorithm													
24	Natural person													
802	>NoPartySubIDs	N	NUMINGROUP	Number of PartySubIDs. Only one entry. Only in combination with PartyRole (452) = 7 (Entering firm), 12 (Executing trader) and 36 (Entering trader) possible.										
523	>PartySubID	N	STRING (1-6)	Firm or Trader Short Name, depending on the value of field PartySubIDType(803).										

Tag	Field Name	Req'd	Data Type	Description												
803	>PartySubIDType	N	INT	Type of PartySubID. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Firm</td> </tr> <tr> <td>2</td> <td>Person</td> </tr> </tbody> </table>	Value	Description	1	Firm	2	Person						
Value	Description															
1	Firm															
2	Person															
</Parties>																
<Instrument>																
55	Symbol	Y	STRING (1-10)	T7 product identifier. Field must be set to '[N/A]' in FIX requests where the ISIN is used as instrument identifier.												
48	SecurityID	N	INT(20)	T7 instrument identifier.												
22	SecurityIDSource	N	STRING (1)	Source of the securityID <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>M</td> <td>Marketplace-assigned identifier</td> </tr> </tbody> </table>	Value	Description	M	Marketplace-assigned identifier								
Value	Description															
M	Marketplace-assigned identifier															
<SecurityAltIDGrp>, cardinality: 0-1, record counter: NoSecurityAltID (454)																
455	>SecurityAltID	Y	STRING (1-12)	Security identifier as ISIN												
456	>SecurityAltIDSource	Y	STRING (1)	Source of the SecurityAltID (455). Only ISIN is allowed. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>ISIN</td> </tr> </tbody> </table>	Value	Description	4	ISIN								
Value	Description															
4	ISIN															
</SecurityAltIDGrp>																
223	CouponRate	N	PERCENTAGE	The rate of interest that, when multiplied by the principal, par value, or face value of a bond, provides the currency amount of the periodic interest payment. The coupon is always cited, along with maturity, in any quotation of a bond's price.												
28890	DeliveryType	N	INT	Identifies type of settlement. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Auslandskassenverein (AKV)</td> </tr> <tr> <td>2</td> <td>Girosammelverwahrung (GS)</td> </tr> <tr> <td>3</td> <td>Streifbandverwahrung (STR)</td> </tr> <tr> <td>4</td> <td>Wertpapierrechnung (WPR)</td> </tr> <tr> <td>5</td> <td>Non-collective safe custody securities to be settled via T2S (AKT)</td> </tr> </tbody> </table>	Value	Description	1	Auslandskassenverein (AKV)	2	Girosammelverwahrung (GS)	3	Streifbandverwahrung (STR)	4	Wertpapierrechnung (WPR)	5	Non-collective safe custody securities to be settled via T2S (AKT)
Value	Description															
1	Auslandskassenverein (AKV)															
2	Girosammelverwahrung (GS)															
3	Streifbandverwahrung (STR)															
4	Wertpapierrechnung (WPR)															
5	Non-collective safe custody securities to be settled via T2S (AKT)															

Tag	Field Name	Req'd	Data Type	Description	
28896	LastCouponDeviation-Indicator	N	INT	Last coupon deviation indicator.	
				Value	Description
				0	None
				1	Short period
				2	Long period
				3	Only one coupon
				4	Short - two interest payments due
				5	Long - two interest payments due
6	Perpetual				
28897	RefinancingEligibility-Indicator	N	INT	Ability of a security to be accepted for refinancing.	
				Value	Description
				0	No
				1	Yes
</Instrument>					
<TrdgSesGrp>, cardinality: 0-1, record counter: NoTradingSessions (386)					
336	>TradingSessionID	Y	INT	Identifier for trading session.	
				Value	Description
				1	Day
625	>TradingSessionSub-ID	Y	INT	This field marks orders for a special trading phase.	
				Value	Description
				2	Opening auction
				4	Closing auction
				6	Scheduled intraday auction only
				8	Auction only
105	Special auction				
</TrdgSesGrp>					
<PegInstructions>					
211	PegOffsetValue	N	PRICE	Amount (signed) added to the peg for a pegged order in the context of the PegOffsetType (836).	

Tag	Field Name	Req'd	Data Type	Description						
836	PegOffsetType	N	INT	Type of Peg Offset value. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Price</td> </tr> <tr> <td>4</td> <td>Percentage</td> </tr> </tbody> </table>	Value	Description	0	Price	4	Percentage
Value	Description									
0	Price									
4	Percentage									
</PegInstructions>										
<MtchgInst>, cardinality: 0-1, record counter: NoMatchInst (1624)										
1625	>MatchInst	Y	INT	Matching Instruction for the order. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>Do not match</td> </tr> </tbody> </table>	Value	Description	2	Do not match		
Value	Description									
2	Do not match									
28744	>MatchInstCrossID	Y	INT(10)	Numeric identifier. Contains the Self Match Prevention ID.						
</MtchgInst>										
<DisplayInstruction>										
1138	DisplayQty	Y	QTY	This field provides the display quantity. For iceberg order entry or modify with DisplayMethod						
1084	DisplayMethod	Y	CHAR	Defines if the value of the peak quantity after a refresh will be determined absolutely (using the initial value of the DisplayQty (1138)) or randomly (using a random value between DisplayLowQty (1085) and DisplayHighQty (1086)). <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Initial</td> </tr> <tr> <td>3</td> <td>Random</td> </tr> </tbody> </table>	Value	Description	1	Initial	3	Random
Value	Description									
1	Initial									
3	Random									
1085	DisplayLowQty	N	QTY	Defines the lower quantity limit to a randomized refresh of displayed quantity. DisplayLowQty must be less than or equal to DisplayHighQty (1086). Required if DisplayMethod (1084) = "3".						
1086	DisplayHighQty	N	QTY	Defines the upper quantity limit to a randomized refresh of displayed quantity. Required if DisplayMethod (1084) = "3".						
</DisplayInstruction>										
<OrderAttributeGrp>, cardinality: 0-1, record counter: NoOrderAttributes (2593), containing occurrences: liquidity_provision_activity_order										
2594	>OrderAttributeType	N	INT	Type of order attribute. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>Liquidity Provision Activity Order</td> </tr> </tbody> </table>	Value	Description	2	Liquidity Provision Activity Order		
Value	Description									
2	Liquidity Provision Activity Order									

Tag	Field Name	Req'd	Data Type	Description												
2595	>OrderAttributeValue	N	CHAR	Value associated with the order attribute type specified in OrderAttributeType (2594). <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Y</td> <td>Attribute is set.</td> </tr> </tbody> </table>	Value	Description	Y	Attribute is set.								
Value	Description															
Y	Attribute is set.															
</OrderAttributeGrp>																
<ValueChecksGrp>, cardinality: 0-3, record counter: NoValueChecks (1868)																
1869	>ValueCheckType	Y	INT	Type of value to be checked. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Price check</td> </tr> <tr> <td>2</td> <td>Notional value check</td> </tr> <tr> <td>3</td> <td>Quantity check</td> </tr> </tbody> </table>	Value	Description	1	Price check	2	Notional value check	3	Quantity check				
Value	Description															
1	Price check															
2	Notional value check															
3	Quantity check															
1870	>ValueCheckAction	Y	INT	Action to be taken for the ValueCheckType (1869). ValueCheckAction (1870) = '2' (Best effort) is only possible, if ValueCheckType (1869) = '1' (Price check). <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Do not check</td> </tr> <tr> <td>1</td> <td>Check</td> </tr> </tbody> </table>	Value	Description	0	Do not check	1	Check						
Value	Description															
0	Do not check															
1	Check															
</ValueChecksGrp>																
1	Account	N	STRING (1-2)	Account.												
11	CIOrdID	Y	STRING (1-20)	Unique customer defined order request identifier												
15	Currency	N	CURRENCY	Currency used for price. The combination of an ISIN with a defined currency will identify uniquely an instrument.												
18	ExecInst	N	MULTIPLE-VALUESTRING	Instructions for order handling. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>a</td> <td>Trailing Stop Peg</td> </tr> <tr> <td>6</td> <td>Participate don't initiate (Book or cancel)</td> </tr> </tbody> </table>	Value	Description	a	Trailing Stop Peg	6	Participate don't initiate (Book or cancel)						
Value	Description															
a	Trailing Stop Peg															
6	Participate don't initiate (Book or cancel)															
38	OrderQty	Y	QTY	Total Order Quantity.												
40	OrdType	Y	CHAR	Order type. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Market</td> </tr> <tr> <td>2</td> <td>Limit</td> </tr> <tr> <td>3</td> <td>Stop</td> </tr> <tr> <td>4</td> <td>Stop limit</td> </tr> <tr> <td>P</td> <td>Pegged</td> </tr> </tbody> </table>	Value	Description	1	Market	2	Limit	3	Stop	4	Stop limit	P	Pegged
Value	Description															
1	Market															
2	Limit															
3	Stop															
4	Stop limit															
P	Pegged															

Tag	Field Name	Req'd	Data Type	Description														
41	OrigClOrdID	Y	STRING (1-20)	ClOrdID (11) of the last successfully processed task (request) referring to the specific order.														
44	Price	N	PRICE	Limit price.														
54	Side	Y	CHAR	Side <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Buy</td> </tr> <tr> <td>2</td> <td>Sell</td> </tr> </tbody> </table>	Value	Description	1	Buy	2	Sell								
Value	Description																	
1	Buy																	
2	Sell																	
25007	FreeText1	N	STRING (1-12)	First free-format text field for trader-specific or customer-related comments.														
59	TimeInForce	N	CHAR	Execution and trading restriction parameters. Will be defaulted to "0" (Day) if missing. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Day</td> </tr> <tr> <td>1</td> <td>Good till Cancel</td> </tr> <tr> <td>3</td> <td>Immediate or Cancel</td> </tr> <tr> <td>4</td> <td>Fill or Kill</td> </tr> <tr> <td>5</td> <td>Good till Crossing</td> </tr> <tr> <td>6</td> <td>Good till Date</td> </tr> </tbody> </table>	Value	Description	0	Day	1	Good till Cancel	3	Immediate or Cancel	4	Fill or Kill	5	Good till Crossing	6	Good till Date
Value	Description																	
0	Day																	
1	Good till Cancel																	
3	Immediate or Cancel																	
4	Fill or Kill																	
5	Good till Crossing																	
6	Good till Date																	
99	StopPx	N	PRICE	Stop price.														
432	ExpireDate	N	LOCALMKT-DATE	Date of order expiration.														
1724	OrderOrigination	N	INT	Direct market access identifier. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>5</td> <td>Direct market access</td> </tr> </tbody> </table>	Value	Description	5	Direct market access										
Value	Description																	
5	Direct market access																	
1815	TradingCapacity	Y	INT	Trading capacity. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Customer (Agency)</td> </tr> <tr> <td>5</td> <td>Principal (Proprietary)</td> </tr> <tr> <td>6</td> <td>Market Maker</td> </tr> <tr> <td>9</td> <td>Riskless Principal</td> </tr> </tbody> </table>	Value	Description	1	Customer (Agency)	5	Principal (Proprietary)	6	Market Maker	9	Riskless Principal				
Value	Description																	
1	Customer (Agency)																	
5	Principal (Proprietary)																	
6	Market Maker																	
9	Riskless Principal																	
25008	FreeText2	N	STRING (1-12)	Second free-format text field for trader-specific or customer-related comments.														
25107	FreeText4	N	STRING (1-16)	Fourth free-format text field for trader-specific or customer related comments.														
25125	VolumeDiscoveryPrice	N	PRICE	Indicates the second limit price of a volume discovery order.														
< Trailer />																		

8.6 Order Cancel Request

The Order Cancel Request is used to delete an existing order.

Tag	Field Name	Req'd	Data Type	Description								
<i><Header with MsgType='F' /></i>												
<i><Parties>, cardinality: 1-5, record counter: NoPartyIDs (453), containing occurrences: entering_trader*, execution_identifier_human, execution_identifier_algo, investment_identifier_human, investment_identifier_algo</i>												
448	>PartyID	Y	STRING (1-35)	Party identifier/code.								
447	>PartyIDSource	Y	CHAR	Identifies class or source of the PartyID (448) value. Required if PartyID is specified. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>D</td> <td>Proprietary custom code</td> </tr> <tr> <td>P</td> <td>Short code identifier</td> </tr> </tbody> </table>	Value	Description	D	Proprietary custom code	P	Short code identifier		
Value	Description											
D	Proprietary custom code											
P	Short code identifier											
452	>PartyRole	Y	INT	Party Role. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>12</td> <td>Executing trader</td> </tr> <tr> <td>36</td> <td>Entering trader</td> </tr> <tr> <td>122</td> <td>Investment decision maker</td> </tr> </tbody> </table>	Value	Description	12	Executing trader	36	Entering trader	122	Investment decision maker
Value	Description											
12	Executing trader											
36	Entering trader											
122	Investment decision maker											
2376	>PartyRoleQualifier	N	INT	Indicates the nature of value submitted in the field PartyID (448). PartyRoleQualifier (2376) = 21 (Specialist) and 22 (Algorithm) are only possible together with PartyIDSource (447) = 'D'. PartyRoleQualifier (2376) = 24 (Natural person) is only possible together with PartyIDSource (447) = 'P'. PartyRoleQualifier (2376) = 21 (Specialist) is not allowed in request messages. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>21</td> <td>Specialist</td> </tr> <tr> <td>22</td> <td>Algorithm</td> </tr> <tr> <td>24</td> <td>Natural person</td> </tr> </tbody> </table>	Value	Description	21	Specialist	22	Algorithm	24	Natural person
Value	Description											
21	Specialist											
22	Algorithm											
24	Natural person											
802	>NoPartySubIDs	N	NUMINGROUP	Number of PartySubIDs. Only one entry. Only in combination with PartyRole (452) = 7 (Entering firm), 12 (Executing trader) and 36 (Entering trader) possible.								
523	>PartySubID	N	STRING (1-6)	Firm or Trader Short Name, depending on the value of field PartySubIDType(803).								

Tag	Field Name	Req'd	Data Type	Description												
803	>PartySubIDType	N	INT	Type of PartySubID. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Firm</td> </tr> <tr> <td>2</td> <td>Person</td> </tr> </tbody> </table>	Value	Description	1	Firm	2	Person						
Value	Description															
1	Firm															
2	Person															
</Parties>																
<Instrument>																
55	Symbol	Y	STRING (1-10)	T7 product identifier. Field must be set to '[N/A]' in FIX requests where the ISIN is used as instrument identifier.												
48	SecurityID	N	INT(20)	T7 instrument identifier.												
22	SecurityIDSource	N	STRING (1)	Source of the securityID <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>M</td> <td>Marketplace-assigned identifier</td> </tr> </tbody> </table>	Value	Description	M	Marketplace-assigned identifier								
Value	Description															
M	Marketplace-assigned identifier															
<SecurityAltIDGrp>, cardinality: 0-1, record counter: NoSecurityAltID (454)																
455	>SecurityAltID	Y	STRING (1-12)	Security identifier as ISIN												
456	>SecurityAltIDSource	Y	STRING (1)	Source of the SecurityAltID (455). Only ISIN is allowed. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>ISIN</td> </tr> </tbody> </table>	Value	Description	4	ISIN								
Value	Description															
4	ISIN															
</SecurityAltIDGrp>																
223	CouponRate	N	PERCENTAGE	The rate of interest that, when multiplied by the principal, par value, or face value of a bond, provides the currency amount of the periodic interest payment. The coupon is always cited, along with maturity, in any quotation of a bond's price.												
28890	DeliveryType	N	INT	Identifies type of settlement. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Auslandskassenverein (AKV)</td> </tr> <tr> <td>2</td> <td>Girosammelverwahrung (GS)</td> </tr> <tr> <td>3</td> <td>Streifbandverwahrung (STR)</td> </tr> <tr> <td>4</td> <td>Wertpapierrechnung (WPR)</td> </tr> <tr> <td>5</td> <td>Non-collective safe custody securities to be settled via T2S (AKT)</td> </tr> </tbody> </table>	Value	Description	1	Auslandskassenverein (AKV)	2	Girosammelverwahrung (GS)	3	Streifbandverwahrung (STR)	4	Wertpapierrechnung (WPR)	5	Non-collective safe custody securities to be settled via T2S (AKT)
Value	Description															
1	Auslandskassenverein (AKV)															
2	Girosammelverwahrung (GS)															
3	Streifbandverwahrung (STR)															
4	Wertpapierrechnung (WPR)															
5	Non-collective safe custody securities to be settled via T2S (AKT)															

Tag	Field Name	Req'd	Data Type	Description																
28896	LastCouponDeviation-Indicator	N	INT	Last coupon deviation indicator. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>None</td> </tr> <tr> <td>1</td> <td>Short period</td> </tr> <tr> <td>2</td> <td>Long period</td> </tr> <tr> <td>3</td> <td>Only one coupon</td> </tr> <tr> <td>4</td> <td>Short - two interest payments due</td> </tr> <tr> <td>5</td> <td>Long - two interest payments due</td> </tr> <tr> <td>6</td> <td>Perpetual</td> </tr> </tbody> </table>	Value	Description	0	None	1	Short period	2	Long period	3	Only one coupon	4	Short - two interest payments due	5	Long - two interest payments due	6	Perpetual
Value	Description																			
0	None																			
1	Short period																			
2	Long period																			
3	Only one coupon																			
4	Short - two interest payments due																			
5	Long - two interest payments due																			
6	Perpetual																			
28897	RefinancingEligibility-Indicator	N	INT	Ability of a security to be accepted for refinancing. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>No</td> </tr> <tr> <td>1</td> <td>Yes</td> </tr> </tbody> </table>	Value	Description	0	No	1	Yes										
Value	Description																			
0	No																			
1	Yes																			
<i></Instrument></i>																				
15	Currency	N	CURRENCY	Currency used for price. The combination of an ISIN with a defined currency will identify uniquely an instrument.																
11	CIOrdID	Y	STRING (1-20)	Unique customer defined order request identifier																
37	OrderID	N	INT(20)	Exchange Order ID generated by the T7 system.																
41	OrigCIOrdID	N	STRING (1-20)	CIOrdID (11) of the last successfully processed task (request) referring to the specific order.																
1724	OrderOrigination	N	INT	Direct market access identifier. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>5</td> <td>Direct market access</td> </tr> </tbody> </table>	Value	Description	5	Direct market access												
Value	Description																			
5	Direct market access																			
<i><Trailer /></i>																				

8.7 Execution Report

The Execution Report message is used to confirm the receipt of an order, confirm changes to an existing order, transmit all active orders, relay fill information.

Tag	Field Name	Req'd	Data Type	Description												
<i><Header with MsgType='8' /></i>																
<i><Parties>, cardinality: 0-5, record counter: NoPartyIDs (453), containing occurrences: entering_firm, entering_trader, executing_trader, executing_unit, session_ID</i>																
448	>PartyID	Y	STRING (1-35)	Party identifier/code.												
447	>PartyIDSource	Y	CHAR	Identifies class or source of the PartyID (448) value. Required if PartyID is specified. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>D</td> <td>Proprietary custom code</td> </tr> </tbody> </table>	Value	Description	D	Proprietary custom code								
Value	Description															
D	Proprietary custom code															
452	>PartyRole	Y	INT	Party Role. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>7</td> <td>Entering firm</td> </tr> <tr> <td>12</td> <td>Executing trader</td> </tr> <tr> <td>36</td> <td>Entering trader</td> </tr> <tr> <td>55</td> <td>Session ID</td> </tr> <tr> <td>59</td> <td>Executing unit</td> </tr> </tbody> </table>	Value	Description	7	Entering firm	12	Executing trader	36	Entering trader	55	Session ID	59	Executing unit
Value	Description															
7	Entering firm															
12	Executing trader															
36	Entering trader															
55	Session ID															
59	Executing unit															
2376	>PartyRoleQualifier	N	INT	Indicates the nature of value submitted in the field PartyID (448). PartyRoleQualifier (2376) = 21 (Specialist) and 22 (Algorithm) are only possible together with PartyIDSource (447) = 'D'. PartyRoleQualifier (2376) = 24 (Natural person) is only possible together with PartyIDSource (447) = 'P'. PartyRoleQualifier (2376) = 21 (Specialist) is not allowed in request messages. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>21</td> <td>Specialist</td> </tr> <tr> <td>22</td> <td>Algorithm</td> </tr> <tr> <td>24</td> <td>Natural person</td> </tr> </tbody> </table>	Value	Description	21	Specialist	22	Algorithm	24	Natural person				
Value	Description															
21	Specialist															
22	Algorithm															
24	Natural person															
802	>NoPartySubIDs	N	NUMINGROUP	Number of PartySubIDs. Only one entry. Only in combination with PartyRole (452) = 7 (Entering firm), 12 (Executing trader) and 36 (Entering trader) possible.												
523	>PartySubID	N	STRING (1-6)	Firm or Trader Short Name, depending on the value of field PartySubIDType(803).												

Tag	Field Name	Req'd	Data Type	Description												
803	>PartySubIDType	N	INT	Type of PartySubID. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Firm</td> </tr> <tr> <td>2</td> <td>Person</td> </tr> </tbody> </table>	Value	Description	1	Firm	2	Person						
Value	Description															
1	Firm															
2	Person															
</Parties>																
<Instrument>																
55	Symbol	Y	STRING (1-10)	T7 product identifier. Field must be set to '[N/A]' in FIX requests where the ISIN is used as instrument identifier.												
48	SecurityID	N	INT(20)	T7 instrument identifier.												
22	SecurityIDSource	N	STRING (1)	Source of the securityID <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>M</td> <td>Marketplace-assigned identifier</td> </tr> </tbody> </table>	Value	Description	M	Marketplace-assigned identifier								
Value	Description															
M	Marketplace-assigned identifier															
<SecurityAltIDGrp>, cardinality: 0-1, record counter: NoSecurityAltID (454)																
455	>SecurityAltID	Y	STRING (1-12)	Security identifier as ISIN												
456	>SecurityAltIDSource	Y	STRING (1)	Source of the SecurityAltID (455). Only ISIN is allowed. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>ISIN</td> </tr> </tbody> </table>	Value	Description	4	ISIN								
Value	Description															
4	ISIN															
</SecurityAltIDGrp>																
223	CouponRate	N	PERCENTAGE	The rate of interest that, when multiplied by the principal, par value, or face value of a bond, provides the currency amount of the periodic interest payment. The coupon is always cited, along with maturity, in any quotation of a bond's price.												
28890	DeliveryType	N	INT	Identifies type of settlement. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Auslandskassenverein (AKV)</td> </tr> <tr> <td>2</td> <td>Girosammelverwahrung (GS)</td> </tr> <tr> <td>3</td> <td>Streifbandverwahrung (STR)</td> </tr> <tr> <td>4</td> <td>Wertpapierrechnung (WPR)</td> </tr> <tr> <td>5</td> <td>Non-collective safe custody securities to be settled via T2S (AKT)</td> </tr> </tbody> </table>	Value	Description	1	Auslandskassenverein (AKV)	2	Girosammelverwahrung (GS)	3	Streifbandverwahrung (STR)	4	Wertpapierrechnung (WPR)	5	Non-collective safe custody securities to be settled via T2S (AKT)
Value	Description															
1	Auslandskassenverein (AKV)															
2	Girosammelverwahrung (GS)															
3	Streifbandverwahrung (STR)															
4	Wertpapierrechnung (WPR)															
5	Non-collective safe custody securities to be settled via T2S (AKT)															

Tag	Field Name	Req'd	Data Type	Description	
28896	LastCouponDeviation-Indicator	N	INT	Last coupon deviation indicator.	
				Value	Description
				0	None
				1	Short period
				2	Long period
				3	Only one coupon
				4	Short - two interest payments due
				5	Long - two interest payments due
6	Perpetual				
28897	RefinancingEligibility-Indicator	N	INT	Ability of a security to be accepted for refinancing.	
				Value	Description
				0	No
				1	Yes
</Instrument>					
<PegInstructions>					
211	PegOffsetValue	N	PRICE	Amount (signed) added to the peg for a pegged order in the context of the PegOffsetType (836).	
836	PegOffsetType	N	INT	Type of Peg Offset value.	
				Value	Description
				0	Price
				4	Percentage
</PegInstructions>					
<MtchgInst>, cardinality: 0-1, record counter: NoMatchInst (1624)					
1625	>MatchInst	Y	INT	Matching Instruction for the order.	
				Value	Description
				2	Do not match
28744	>MatchInstCrossID	Y	INT(10)	Numeric identifier. Contains the Self Match Prevention ID.	
</MtchgInst>					
<DisplayInstruction>					
1138	DisplayQty	Y	QTY	This field provides the display quantity. For iceberg order entry or modify with DisplayMethod	

Tag	Field Name	Req'd	Data Type	Description								
1084	DisplayMethod	Y	CHAR	<p>Defines if the value of the peak quantity after a refresh will be determined absolutely (using the initial value of the DisplayQty (1138)) or randomly (using a random value between DisplayLowQty (1085) and DisplayHighQty (1086)).</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Initial</td> </tr> <tr> <td>3</td> <td>Random</td> </tr> </tbody> </table>	Value	Description	1	Initial	3	Random		
Value	Description											
1	Initial											
3	Random											
1085	DisplayLowQty	N	QTY	<p>Defines the lower quantity limit to a randomized refresh of displayed quantity. DisplayLowQty must be less than or equal to DisplayHighQty (1086). Required if DisplayMethod (1084) = "3".</p>								
1086	DisplayHighQty	N	QTY	<p>Defines the upper quantity limit to a randomized refresh of displayed quantity. Required if DisplayMethod (1084) = "3".</p>								
<i></DisplayInstruction></i>												
<i><OrderEventGrp>, cardinality: 0-1, record counter: NoOrderEvents (1795)</i>												
1796	>OrderEventType	N	INT	<p>Information about the status of pending transactions after locked stock (T7 Boerse Frankfurt).</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>100</td> <td>Status after locked Stock - Pending requests discarded</td> </tr> <tr> <td>101</td> <td>Status after locked Stock - Pending request executed</td> </tr> <tr> <td>102</td> <td>Status after locked Stock - Pending request rejected</td> </tr> </tbody> </table>	Value	Description	100	Status after locked Stock - Pending requests discarded	101	Status after locked Stock - Pending request executed	102	Status after locked Stock - Pending request rejected
Value	Description											
100	Status after locked Stock - Pending requests discarded											
101	Status after locked Stock - Pending request executed											
102	Status after locked Stock - Pending request rejected											
<i></OrderEventGrp></i>												
11	CIOrdID	N	STRING (1-20)	Unique customer defined order request identifier								
15	Currency	N	CURRENCY	Currency used for price. The combination of an ISIN with a defined currency will identify uniquely an instrument.								
14	CumQty	Y	QTY	Cumulated executed quantity.								
17	ExecID	Y	STRING (80)	The field provides a unique identifier and can be used for the identification of duplicate order messages.								

Tag	Field Name	Req'd	Data Type	Description																				
18	Execlnst	N	MULTIPLE-VALUESTRING	Instructions for order handling. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>H</td> <td>Reinstate on trading system failure (persistent)</td> </tr> <tr> <td>Q</td> <td>Cancel on trading system failure (non-persistent)</td> </tr> <tr> <td>a</td> <td>Trailing Stop Peg</td> </tr> <tr> <td>6</td> <td>Participate don't initiate (Book or cancel)</td> </tr> </tbody> </table>	Value	Description	H	Reinstate on trading system failure (persistent)	Q	Cancel on trading system failure (non-persistent)	a	Trailing Stop Peg	6	Participate don't initiate (Book or cancel)										
Value	Description																							
H	Reinstate on trading system failure (persistent)																							
Q	Cancel on trading system failure (non-persistent)																							
a	Trailing Stop Peg																							
6	Participate don't initiate (Book or cancel)																							
31	LastPx	N	PRICE	Price level.																				
32	LastQty	N	QTY	Quantity executed in a fill or deleted in a SMP match																				
37	OrderID	Y	INT(20)	Exchange Order ID generated by the T7 system.																				
38	OrderQty	Y	QTY	Total Order Quantity.																				
39	OrdStatus	Y	CHAR	Identifies current status of order. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>New</td> </tr> <tr> <td>1</td> <td>Partially filled</td> </tr> <tr> <td>2</td> <td>Filled</td> </tr> <tr> <td>4</td> <td>Canceled</td> </tr> <tr> <td>6</td> <td>Pending cancel</td> </tr> <tr> <td>8</td> <td>Rejected</td> </tr> <tr> <td>9</td> <td>Suspended</td> </tr> <tr> <td>A</td> <td>Pending new</td> </tr> <tr> <td>E</td> <td>Pending replace</td> </tr> </tbody> </table>	Value	Description	0	New	1	Partially filled	2	Filled	4	Canceled	6	Pending cancel	8	Rejected	9	Suspended	A	Pending new	E	Pending replace
Value	Description																							
0	New																							
1	Partially filled																							
2	Filled																							
4	Canceled																							
6	Pending cancel																							
8	Rejected																							
9	Suspended																							
A	Pending new																							
E	Pending replace																							
40	OrdType	N	CHAR	Order type. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Market</td> </tr> <tr> <td>2</td> <td>Limit</td> </tr> <tr> <td>3</td> <td>Stop</td> </tr> <tr> <td>4</td> <td>Stop limit</td> </tr> <tr> <td>P</td> <td>Pegged</td> </tr> </tbody> </table>	Value	Description	1	Market	2	Limit	3	Stop	4	Stop limit	P	Pegged								
Value	Description																							
1	Market																							
2	Limit																							
3	Stop																							
4	Stop limit																							
P	Pegged																							
41	OrigClOrdID	N	STRING (1-20)	ClOrdID (11) of the last successfully processed task (request) referring to the specific order.																				
44	Price	N	PRICE	Limit price.																				
54	Side	Y	CHAR	Side of order. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Buy</td> </tr> <tr> <td>2</td> <td>Sell</td> </tr> </tbody> </table>	Value	Description	1	Buy	2	Sell														
Value	Description																							
1	Buy																							
2	Sell																							

Tag	Field Name	Req'd	Data Type	Description																								
25007	FreeText1	N	STRING (1-12)	First free-format text field for trader-specific or customer-related comments.																								
59	TimelnForce	N	CHAR	Execution and trading restriction parameters. Will be defaulted to "0" (Day) if missing. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Day</td> </tr> <tr> <td>1</td> <td>Good till Cancel</td> </tr> <tr> <td>3</td> <td>Immediate or Cancel</td> </tr> <tr> <td>4</td> <td>Fill or Kill</td> </tr> <tr> <td>5</td> <td>Good till Crossing</td> </tr> <tr> <td>6</td> <td>Good till Date</td> </tr> </tbody> </table>	Value	Description	0	Day	1	Good till Cancel	3	Immediate or Cancel	4	Fill or Kill	5	Good till Crossing	6	Good till Date										
Value	Description																											
0	Day																											
1	Good till Cancel																											
3	Immediate or Cancel																											
4	Fill or Kill																											
5	Good till Crossing																											
6	Good till Date																											
99	StopPx	N	PRICE	Stop price.																								
150	ExecType	Y	CHAR	Describes the specific ExecutionRpt while Ord-Status (39) will always identify the current order status. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>New</td> </tr> <tr> <td>4</td> <td>Canceled</td> </tr> <tr> <td>5</td> <td>Replace</td> </tr> <tr> <td>6</td> <td>Pending cancel</td> </tr> <tr> <td>8</td> <td>Rejected</td> </tr> <tr> <td>9</td> <td>Suspended</td> </tr> <tr> <td>A</td> <td>Pending new</td> </tr> <tr> <td>D</td> <td>Restated</td> </tr> <tr> <td>E</td> <td>Pending replace</td> </tr> <tr> <td>F</td> <td>Trade</td> </tr> <tr> <td>L</td> <td>Triggered by system</td> </tr> </tbody> </table>	Value	Description	0	New	4	Canceled	5	Replace	6	Pending cancel	8	Rejected	9	Suspended	A	Pending new	D	Restated	E	Pending replace	F	Trade	L	Triggered by system
Value	Description																											
0	New																											
4	Canceled																											
5	Replace																											
6	Pending cancel																											
8	Rejected																											
9	Suspended																											
A	Pending new																											
D	Restated																											
E	Pending replace																											
F	Trade																											
L	Triggered by system																											
151	LeavesQty	Y	QTY	Quantity open for further execution. If the Ord-Status (39) is Canceled, Expired, Calculated, or Rejected (in which case the order is no longer active) then LeavesQty could be 0, otherwise LeavesQty = OrderQty (38) - CumQty (14).																								
336	TradingSessionID	N	INT	Identifier for trading session. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Day</td> </tr> </tbody> </table>	Value	Description	1	Day																				
Value	Description																											
1	Day																											
378	ExecRestatement-Reason	N	INT	Code to identify reason for an Execution Report message sent with ExecType=Restated or used when communicating an unsolicited cancel. Valid values are listed after this table.																								

Tag	Field Name	Req'd	Data Type	Description														
432	ExpireDate	N	LOCALMKT-DATE	Date of order expiration.														
527	SecondaryExecID	N	INT(10)	Assigned by the party which accepts the order. Can be used to provide the ExecID used by an exchange or executing system.														
574	MatchType	N	INT	The point in the matching process at which this trade was matched. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>Auto Match Incoming</td> </tr> <tr> <td>5</td> <td>Cross Auction</td> </tr> <tr> <td>7</td> <td>Call Auction</td> </tr> <tr> <td>11</td> <td>Auto Match Resting</td> </tr> <tr> <td>12</td> <td>Auto Match at Midpoint (VDO)</td> </tr> <tr> <td>14</td> <td>Continuous Auction</td> </tr> </tbody> </table>	Value	Description	4	Auto Match Incoming	5	Cross Auction	7	Call Auction	11	Auto Match Resting	12	Auto Match at Midpoint (VDO)	14	Continuous Auction
Value	Description																	
4	Auto Match Incoming																	
5	Cross Auction																	
7	Call Auction																	
11	Auto Match Resting																	
12	Auto Match at Midpoint (VDO)																	
14	Continuous Auction																	
625	TradingSessionSubID	N	INT	This field marks orders for a special trading phase. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>Opening auction</td> </tr> <tr> <td>4</td> <td>Closing auction</td> </tr> <tr> <td>6</td> <td>Scheduled intraday auction only</td> </tr> <tr> <td>8</td> <td>Auction only</td> </tr> <tr> <td>105</td> <td>Special auction</td> </tr> </tbody> </table>	Value	Description	2	Opening auction	4	Closing auction	6	Scheduled intraday auction only	8	Auction only	105	Special auction		
Value	Description																	
2	Opening auction																	
4	Closing auction																	
6	Scheduled intraday auction only																	
8	Auction only																	
105	Special auction																	
851	LastLiquidityInd	N	INT	Indicator to identify whether this fill was a result of a liquidity provider providing or liquidity taker taking the liquidity. Applicable only for OrdStatus of Partial or Filled. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Add Liquidity</td> </tr> <tr> <td>2</td> <td>Removed Liquidity</td> </tr> <tr> <td>4</td> <td>Auction (neither passive nor aggressive, includes VDO matching at midpoint)</td> </tr> <tr> <td>5</td> <td>Triggered Stop Order</td> </tr> <tr> <td>6</td> <td>Triggered One-cancels-the-other Order</td> </tr> <tr> <td>7</td> <td>Triggered Market Order</td> </tr> </tbody> </table>	Value	Description	1	Add Liquidity	2	Removed Liquidity	4	Auction (neither passive nor aggressive, includes VDO matching at midpoint)	5	Triggered Stop Order	6	Triggered One-cancels-the-other Order	7	Triggered Market Order
Value	Description																	
1	Add Liquidity																	
2	Removed Liquidity																	
4	Auction (neither passive nor aggressive, includes VDO matching at midpoint)																	
5	Triggered Stop Order																	
6	Triggered One-cancels-the-other Order																	
7	Triggered Market Order																	
880	TrdMatchID	N	INT(10)	Identifier assigned to a trade by a matching system.														

Tag	Field Name	Req'd	Data Type	Description												
1080	RefOrderID	N	INT(20)	Reference to a private quote. This field will be always delivered together with the field RefOrderIDSource (1081).												
1081	RefOrderIDSource	N	CHAR	Identifier related to the value delivered in the field RefOrderID (1080). Required if the ExecutionReport (8) contains a reference to a private quote (field RefOrderID (1080)). <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>5</td> <td>QuoteID (117)</td> </tr> </tbody> </table>	Value	Description	5	QuoteID (117)								
Value	Description															
5	QuoteID (117)															
1815	TradingCapacity	N	INT	Trading capacity. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Customer (Agency)</td> </tr> <tr> <td>3</td> <td>Issuer/Liquidity Provider</td> </tr> <tr> <td>5</td> <td>Principal (Proprietary)</td> </tr> <tr> <td>6</td> <td>Market Maker</td> </tr> <tr> <td>9</td> <td>Riskless Principal</td> </tr> </tbody> </table>	Value	Description	1	Customer (Agency)	3	Issuer/Liquidity Provider	5	Principal (Proprietary)	6	Market Maker	9	Riskless Principal
Value	Description															
1	Customer (Agency)															
3	Issuer/Liquidity Provider															
5	Principal (Proprietary)															
6	Market Maker															
9	Riskless Principal															
2523	CrossedIndicator	N	INT	Indicator will be delivered in case of deletion or modification due to Self Match Prevention. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Cross rejected</td> </tr> </tbody> </table>	Value	Description	1	Cross rejected								
Value	Description															
1	Cross rejected															
1823	Triggered	N	INT	Indicates if an order has been previously triggered. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not triggered (Default)</td> </tr> <tr> <td>1</td> <td>Triggered</td> </tr> </tbody> </table>	Value	Description	0	Not triggered (Default)	1	Triggered						
Value	Description															
0	Not triggered (Default)															
1	Triggered															
25008	FreeText2	N	STRING (1-12)	Second free-format text field for trader-specific or customer-related comments.												
25107	FreeText4	N	STRING (1-16)	Fourth free-format text field for trader-specific or customer related comments.												
25125	VolumeDiscoveryPrice	N	PRICE	Indicates the second limit price of a volume discovery order.												
30060	UTransactTime	N	INT(20)	Transaction timestamp. Number of nanoseconds since Jan 1, 1970.												
25108	OrderIDSfx	N	INT(10)	Order identification suffix generated by the T7 system. An increase of the peak or overall quantity leads to a new timestamp, losing time priority and the assignment of a new order id suffix, whereas a reduction maintains the original timestamp and order id suffix.												

Tag	Field Name	Req'd	Data Type	Description						
30625	TradeAtCloseOptIn	N	BOOLEAN	Indicates whether this order is eligible for Trade at Close match.						
				<table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>N</td> <td>Not eligible for Trade at Close match</td> </tr> <tr> <td>Y</td> <td>Eligible for Trade at Close match</td> </tr> </tbody> </table>	Value	Description	N	Not eligible for Trade at Close match	Y	Eligible for Trade at Close match
Value	Description									
N	Not eligible for Trade at Close match									
Y	Eligible for Trade at Close match									
<Trailer />										

Valid Values of ExecRestatementReason (datatype INT)

Valid Value	Description
0	GT corporate action
1	GT renewal / restatement (no corporate action, order book restatement)
8	Exchange Option
100	Unknown Order State
101	Order Added
102	Order Replaced
103	Order Canceled
105	Immediate or Cancel Order Canceled
107	FOK Order canceled
108	Book Order executed
114	Order has been changed to IOC
122	Instrument State Change
138	Pending New
139	Pending Replace
141	Pending New Applied
142	Pending Replace Applied
146	End of Day Processing
148	Order Expiration Intraday
149	Closing Auction Only Order Activated
150	Closing Auction Only Order Inactivated
151	OAo Order activated
152	OAo Order inactivated
153	AAo Order activated
154	AAo Order inactivated
155	Order Refreshed
159	Intraday Auction Order has been activated
160	Intraday Auction Order has been inactivated
164	One-cancels-the-other Order Triggered
172	Stop Order Triggered

181	Ownership Changed
197	Order Cancellation Pending
199	Pending Cancellation Executed
212	Book Or Cancel Order Canceled
213	Trailing Stop Update
237	Exceeds maximum quantity
238	Invalid Limit Price
241	User does not exist
242	Session does not exist
243	Invalid Stop Price
245	Instrument does not exist
246	Business Unit Risk Event
261	Panic Cancel
292	Divident Payment
294	Last Trading Day
295	Trading Parameter Change
296	Currency Change
297	Product Assignment Change / Special Event
298	Reference Price Change
300	Tick Rule Change
316	Quote Request Solution Order Expiry

8.8 Order Mass Action Request

The UserOrderMassActionRequest (UCA) will allow the deletion of multiple orders based on different filter criteria.

Tag	Field Name	Req'd	Data Type	Description								
<i><Header with MsgType='UCA' /></i>												
<i><Parties>, cardinality: 1-5, record counter: NoPartyIDs (453), containing occurrences: entering_trader*, execution_identifier_human, execution_identifier_algo, investment_identifier_human, investment_identifier_algo</i>												
448	>PartyID	Y	STRING (1-35)	Party identifier/code.								
447	>PartyIDSource	Y	CHAR	Identifies class or source of the PartyID (448) value. Required if PartyID is specified. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>D</td> <td>Proprietary custom code</td> </tr> <tr> <td>P</td> <td>Short code identifier</td> </tr> </tbody> </table>	Value	Description	D	Proprietary custom code	P	Short code identifier		
Value	Description											
D	Proprietary custom code											
P	Short code identifier											
452	>PartyRole	Y	INT	Party Role. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>12</td> <td>Executing trader</td> </tr> <tr> <td>36</td> <td>Entering trader</td> </tr> <tr> <td>122</td> <td>Investment decision maker</td> </tr> </tbody> </table>	Value	Description	12	Executing trader	36	Entering trader	122	Investment decision maker
Value	Description											
12	Executing trader											
36	Entering trader											
122	Investment decision maker											
2376	>PartyRoleQualifier	N	INT	Indicates the nature of value submitted in the field PartyID (448). PartyRoleQualifier (2376) = 21 (Specialist) and 22 (Algorithm) are only possible together with PartyIDSource (447) = 'D'. PartyRoleQualifier (2376) = 24 (Natural person) is only possible together with PartyIDSource (447) = 'P'. PartyRoleQualifier (2376) = 21 (Specialist) is not allowed in request messages. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>21</td> <td>Specialist</td> </tr> <tr> <td>22</td> <td>Algorithm</td> </tr> <tr> <td>24</td> <td>Natural person</td> </tr> </tbody> </table>	Value	Description	21	Specialist	22	Algorithm	24	Natural person
Value	Description											
21	Specialist											
22	Algorithm											
24	Natural person											
802	>NoPartySubIDs	N	NUMINGROUP	Number of PartySubIDs. Only one entry. Only in combination with PartyRole (452) = 7 (Entering firm), 12 (Executing trader) and 36 (Entering trader) possible.								
523	>PartySubID	N	STRING (1-6)	Firm or Trader Short Name, depending on the value of field PartySubIDType(803).								

Tag	Field Name	Req'd	Data Type	Description						
803	>PartySubIDType	N	INT	Type of PartySubID. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Firm</td> </tr> <tr> <td>2</td> <td>Person</td> </tr> </tbody> </table>	Value	Description	1	Firm	2	Person
Value	Description									
1	Firm									
2	Person									
</Parties>										
<TargetParties>, cardinality: 0-2, record counter: NoTargetPartyIDs (1461), containing occurrences: target_executing_trader, target_session_ID										
1462	>TargetPartyID	Y	INT	PartyID value within an target party repeating group.						
1463	>TargetParty- IDSource	Y	CHAR	PartyIDSource value within an target party repeating group. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>D</td> <td>Proprietary custom code</td> </tr> </tbody> </table>	Value	Description	D	Proprietary custom code		
Value	Description									
D	Proprietary custom code									
1464	>TargetPartyRole	Y	INT	PartyRole value within a target party repeating group. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>12</td> <td>Executing trader</td> </tr> <tr> <td>55</td> <td>Session ID</td> </tr> </tbody> </table>	Value	Description	12	Executing trader	55	Session ID
Value	Description									
12	Executing trader									
55	Session ID									
</TargetParties>										
<Instrument>										
55	Symbol	Y	STRING (1-10)	T7 product identifier. Field must be set to '[N/A]' in FIX requests where the ISIN is used as instrument identifier.						
48	SecurityID	N	INT(20)	T7 instrument identifier.						
22	SecurityIDSource	N	STRING (1)	Source of the securityID <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>M</td> <td>Marketplace-assigned identifier</td> </tr> </tbody> </table>	Value	Description	M	Marketplace-assigned identifier		
Value	Description									
M	Marketplace-assigned identifier									
<SecurityAltIDGrp>, cardinality: 0-1, record counter: NoSecurityAltID (454)										
455	>SecurityAltID	Y	STRING (1-12)	Security identifier as ISIN						
456	>SecurityAltIDSource	Y	STRING (1)	Source of the SecurityAltID (455). Only ISIN is allowed. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>ISIN</td> </tr> </tbody> </table>	Value	Description	4	ISIN		
Value	Description									
4	ISIN									
</SecurityAltIDGrp>										

Tag	Field Name	Req'd	Data Type	Description																
223	CouponRate	N	PERCENTAGE	The rate of interest that, when multiplied by the principal, par value, or face value of a bond, provides the currency amount of the periodic interest payment. The coupon is always cited, along with maturity, in any quotation of a bond's price.																
28890	DeliveryType	N	INT	Identifies type of settlement. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Auslandskassenverein (AKV)</td> </tr> <tr> <td>2</td> <td>Girosammelverwahrung (GS)</td> </tr> <tr> <td>3</td> <td>Streifbandverwahrung (STR)</td> </tr> <tr> <td>4</td> <td>Wertpapierrechnung (WPR)</td> </tr> <tr> <td>5</td> <td>Non-collective safe custody securities to be settled via T2S (AKT)</td> </tr> </tbody> </table>	Value	Description	1	Auslandskassenverein (AKV)	2	Girosammelverwahrung (GS)	3	Streifbandverwahrung (STR)	4	Wertpapierrechnung (WPR)	5	Non-collective safe custody securities to be settled via T2S (AKT)				
Value	Description																			
1	Auslandskassenverein (AKV)																			
2	Girosammelverwahrung (GS)																			
3	Streifbandverwahrung (STR)																			
4	Wertpapierrechnung (WPR)																			
5	Non-collective safe custody securities to be settled via T2S (AKT)																			
28896	LastCouponDeviation-Indicator	N	INT	Last coupon deviation indicator. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>None</td> </tr> <tr> <td>1</td> <td>Short period</td> </tr> <tr> <td>2</td> <td>Long period</td> </tr> <tr> <td>3</td> <td>Only one coupon</td> </tr> <tr> <td>4</td> <td>Short - two interest payments due</td> </tr> <tr> <td>5</td> <td>Long - two interest payments due</td> </tr> <tr> <td>6</td> <td>Perpetual</td> </tr> </tbody> </table>	Value	Description	0	None	1	Short period	2	Long period	3	Only one coupon	4	Short - two interest payments due	5	Long - two interest payments due	6	Perpetual
Value	Description																			
0	None																			
1	Short period																			
2	Long period																			
3	Only one coupon																			
4	Short - two interest payments due																			
5	Long - two interest payments due																			
6	Perpetual																			
28897	RefinancingEligibility-Indicator	N	INT	Ability of a security to be accepted for refinancing. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>No</td> </tr> <tr> <td>1</td> <td>Yes</td> </tr> </tbody> </table>	Value	Description	0	No	1	Yes										
Value	Description																			
0	No																			
1	Yes																			
</Instrument>																				
11	CIOrdID	Y	STRING (1-20)	Unique customer defined order request identifier																

Tag	Field Name	Req'd	Data Type	Description								
1374	MassActionScope	Y	INT	Specifies scope of Order Mass Action Request. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>6</td> <td>All orders for a specific session</td> </tr> <tr> <td>7</td> <td>All orders for the own session</td> </tr> <tr> <td>100</td> <td>All orders for the business unit</td> </tr> </tbody> </table>	Value	Description	6	All orders for a specific session	7	All orders for the own session	100	All orders for the business unit
Value	Description											
6	All orders for a specific session											
7	All orders for the own session											
100	All orders for the business unit											
15	Currency	N	CURRENCY	Currency used for price. The combination of an ISIN with a defined currency will identify uniquely an instrument.								
44	Price	N	PRICE	Limit price.								
54	Side	N	CHAR	Side <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Buy</td> </tr> <tr> <td>2</td> <td>Sell</td> </tr> </tbody> </table>	Value	Description	1	Buy	2	Sell		
Value	Description											
1	Buy											
2	Sell											
1724	OrderOrigination	N	INT	Direct market access identifier. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>5</td> <td>Direct market access</td> </tr> </tbody> </table>	Value	Description	5	Direct market access				
Value	Description											
5	Direct market access											
<i><Trailer /></i>												

8.9 User Order Mass Action Report

This message informs about mass cancellation events.

Tag	Field Name	Req'd	Data Type	Description												
<i><Header with MsgType='UBZ' /></i>																
<i><Instrument></i>																
55	Symbol	Y	STRING (1-10)	T7 product identifier. Field must be set to '[N/A]' in FIX requests where the ISIN is used as instrument identifier.												
48	SecurityID	N	INT(20)	T7 instrument identifier.												
22	SecurityIDSource	N	STRING (1)	Source of the securityID <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>M</td> <td>Marketplace-assigned identifier</td> </tr> </tbody> </table>	Value	Description	M	Marketplace-assigned identifier								
Value	Description															
M	Marketplace-assigned identifier															
<i><SecurityAltIDGrp>, cardinality: 0-1, record counter: NoSecurityAltID (454)</i>																
455	>SecurityAltID	Y	STRING (1-12)	Security identifier as ISIN												
456	>SecurityAltIDSource	Y	STRING (1)	Source of the SecurityAltID (455). Only ISIN is allowed. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>ISIN</td> </tr> </tbody> </table>	Value	Description	4	ISIN								
Value	Description															
4	ISIN															
<i></SecurityAltIDGrp></i>																
223	CouponRate	N	PERCENTAGE	The rate of interest that, when multiplied by the principal, par value, or face value of a bond, provides the currency amount of the periodic interest payment. The coupon is always cited, along with maturity, in any quotation of a bond's price.												
28890	DeliveryType	N	INT	Identifies type of settlement. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Auslandskassenverein (AKV)</td> </tr> <tr> <td>2</td> <td>Girosammelverwahrung (GS)</td> </tr> <tr> <td>3</td> <td>Streifbandverwahrung (STR)</td> </tr> <tr> <td>4</td> <td>Wertpapierrechnung (WPR)</td> </tr> <tr> <td>5</td> <td>Non-collective safe custody securities to be settled via T2S (AKT)</td> </tr> </tbody> </table>	Value	Description	1	Auslandskassenverein (AKV)	2	Girosammelverwahrung (GS)	3	Streifbandverwahrung (STR)	4	Wertpapierrechnung (WPR)	5	Non-collective safe custody securities to be settled via T2S (AKT)
Value	Description															
1	Auslandskassenverein (AKV)															
2	Girosammelverwahrung (GS)															
3	Streifbandverwahrung (STR)															
4	Wertpapierrechnung (WPR)															
5	Non-collective safe custody securities to be settled via T2S (AKT)															

Tag	Field Name	Req'd	Data Type	Description																
28896	LastCouponDeviation-Indicator	N	INT	Last coupon deviation indicator. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>None</td> </tr> <tr> <td>1</td> <td>Short period</td> </tr> <tr> <td>2</td> <td>Long period</td> </tr> <tr> <td>3</td> <td>Only one coupon</td> </tr> <tr> <td>4</td> <td>Short - two interest payments due</td> </tr> <tr> <td>5</td> <td>Long - two interest payments due</td> </tr> <tr> <td>6</td> <td>Perpetual</td> </tr> </tbody> </table>	Value	Description	0	None	1	Short period	2	Long period	3	Only one coupon	4	Short - two interest payments due	5	Long - two interest payments due	6	Perpetual
Value	Description																			
0	None																			
1	Short period																			
2	Long period																			
3	Only one coupon																			
4	Short - two interest payments due																			
5	Long - two interest payments due																			
6	Perpetual																			
28897	RefinancingEligibility-Indicator	N	INT	Ability of a security to be accepted for refinancing. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>No</td> </tr> <tr> <td>1</td> <td>Yes</td> </tr> </tbody> </table>	Value	Description	0	No	1	Yes										
Value	Description																			
0	No																			
1	Yes																			
</Instrument>																				
<Parties>, cardinality: 3-4, record counter: NoPartyIDs (453), containing occurrences: entering_trader*, entering_firm*, executing_trader*, session_ID																				
448	>PartyID	Y	STRING (1-35)	Party identifier/code.																
447	>PartyIDSource	Y	CHAR	Identifies class or source of the PartyID (448) value. Required if PartyID is specified. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>D</td> <td>Proprietary custom code</td> </tr> </tbody> </table>	Value	Description	D	Proprietary custom code												
Value	Description																			
D	Proprietary custom code																			
452	>PartyRole	Y	INT	Party Role. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>7</td> <td>Entering firm</td> </tr> <tr> <td>12</td> <td>Executing trader</td> </tr> <tr> <td>36</td> <td>Entering trader</td> </tr> <tr> <td>55</td> <td>Session ID</td> </tr> </tbody> </table>	Value	Description	7	Entering firm	12	Executing trader	36	Entering trader	55	Session ID						
Value	Description																			
7	Entering firm																			
12	Executing trader																			
36	Entering trader																			
55	Session ID																			

Tag	Field Name	Req'd	Data Type	Description								
2376	>PartyRoleQualifier	N	INT	Indicates the nature of value submitted in the field PartyID (448). PartyRoleQualifier (2376) = 21 (Specialist) and 22 (Algorithm) are only possible together with PartyIDSource (447) = 'D'. PartyRoleQualifier (2376) = 24 (Natural person) is only possible together with PartyIDSource (447) = 'P'. PartyRoleQualifier (2376) = 21 (Specialist) is not allowed in request messages. <table border="1" data-bbox="868 741 1286 913"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>21</td> <td>Specialist</td> </tr> <tr> <td>22</td> <td>Algorithm</td> </tr> <tr> <td>24</td> <td>Natural person</td> </tr> </tbody> </table>	Value	Description	21	Specialist	22	Algorithm	24	Natural person
Value	Description											
21	Specialist											
22	Algorithm											
24	Natural person											
802	>NoPartySubIDs	N	NUMINGROUP	Number of PartySubIDs. Only one entry. Only in combination with PartyRole (452) = 7 (Entering firm), 12 (Executing trader) and 36 (Entering trader) possible.								
523	>PartySubID	N	STRING (1-6)	Firm or Trader Short Name, depending on the value of field PartySubIDType(803).								
803	>PartySubIDType	N	INT	Type of PartySubID. <table border="1" data-bbox="868 1218 1286 1346"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Firm</td> </tr> <tr> <td>2</td> <td>Person</td> </tr> </tbody> </table>	Value	Description	1	Firm	2	Person		
Value	Description											
1	Firm											
2	Person											
</Parties>												
<NotAffectedOrdersGrp>, cardinality: unrestricted, record counter: NoNotAffectedOrders (1370)												
1371	NotAffectedOrderID	Y	INT(20)	Exchange Order ID of an order whose cancellation is pending.								
1372	NotAffOrigCOrdID	N	STRING (1-20)	FIX Client Order ID of an order whose cancellation is pending.								
</NotAffectedOrdersGrp>												
<AffectedOrdersGrp>, cardinality: unrestricted, record counter: NoAffectedOrders (534)												
535	AffectedOrderID	Y	INT(20)	Exchange Order ID of a persistent order deleted due to a mass cancellation.								
1824	AffectedOrigCOrdID	N	STRING (1-20)	FIX Client Order ID of a persistent order deleted due to a mass cancellation.								
</AffectedOrdersGrp>												
11	COrdID	N	STRING (1-20)	Unique customer defined order request identifier								

Tag	Field Name	Req'd	Data Type	Description																																		
54	Side	N	CHAR	Side <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Buy</td> </tr> <tr> <td>2</td> <td>Sell</td> </tr> </tbody> </table>	Value	Description	1	Buy	2	Sell																												
Value	Description																																					
1	Buy																																					
2	Sell																																					
44	Price	N	PRICE	Limit price.																																		
30018	UExecInst	N	MULTIPLE- VALUESTRING	Reason for mass cancellation. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>H</td> <td>Reinstate on trading system failure (persistent)</td> </tr> <tr> <td>Q</td> <td>Cancel on trading system failure (non-persistent)</td> </tr> </tbody> </table>	Value	Description	H	Reinstate on trading system failure (persistent)	Q	Cancel on trading system failure (non-persistent)																												
Value	Description																																					
H	Reinstate on trading system failure (persistent)																																					
Q	Cancel on trading system failure (non-persistent)																																					
1369	MassActionReportID	Y	INT(20)	Transaction timestamp.																																		
28721	MassActionReason	Y	INT	Reason for mass cancellation. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>No special reason</td> </tr> <tr> <td>1</td> <td>Trading was stopped</td> </tr> <tr> <td>2</td> <td>Emergency</td> </tr> <tr> <td>6</td> <td>Session loss or logout</td> </tr> <tr> <td>7</td> <td>Duplicate Session Login</td> </tr> <tr> <td>8</td> <td>Clearing Risk Control</td> </tr> <tr> <td>100</td> <td>Internal connection loss</td> </tr> <tr> <td>105</td> <td>Product State Halt</td> </tr> <tr> <td>106</td> <td>Product State Holiday</td> </tr> <tr> <td>107</td> <td>Instrument Suspended</td> </tr> <tr> <td>110</td> <td>Volatility Interruption</td> </tr> <tr> <td>111</td> <td>Product temporarily not tradeable</td> </tr> <tr> <td>113</td> <td>Instrument Stopped</td> </tr> <tr> <td>115</td> <td>Instrument Knock Out</td> </tr> <tr> <td>116</td> <td>Instrument Sold Out</td> </tr> <tr> <td>118</td> <td>Instrument Knock Out has been reverted</td> </tr> </tbody> </table>	Value	Description	0	No special reason	1	Trading was stopped	2	Emergency	6	Session loss or logout	7	Duplicate Session Login	8	Clearing Risk Control	100	Internal connection loss	105	Product State Halt	106	Product State Holiday	107	Instrument Suspended	110	Volatility Interruption	111	Product temporarily not tradeable	113	Instrument Stopped	115	Instrument Knock Out	116	Instrument Sold Out	118	Instrument Knock Out has been reverted
Value	Description																																					
0	No special reason																																					
1	Trading was stopped																																					
2	Emergency																																					
6	Session loss or logout																																					
7	Duplicate Session Login																																					
8	Clearing Risk Control																																					
100	Internal connection loss																																					
105	Product State Halt																																					
106	Product State Holiday																																					
107	Instrument Suspended																																					
110	Volatility Interruption																																					
111	Product temporarily not tradeable																																					
113	Instrument Stopped																																					
115	Instrument Knock Out																																					
116	Instrument Sold Out																																					
118	Instrument Knock Out has been reverted																																					
<Trailer />																																						

8.10 Business Message Acknowledgment

This message confirms the successful processing of the referenced message.

Tag	Field Name	Req'd	Data Type	Description
<i><Header with MsgType='U28' /></i>				
45	RefSeqNum	Y	SEQNUM	Reference message Sequence number.
372	RefMsgType	Y	STRING	The MsgType (35) of the FIX message being referenced.
30379	BusinessAckRefID	Y	STRING	The value of the business-level ID field on the message being referenced.
<i><Trailer /></i>				

8.11 Business Message Reject

The Business Message Reject message indicates that an application message has been rejected.

Tag	Field Name	Req'd	Data Type	Description
<Header with MsgType='j' />				
45	RefSeqNum	Y	SEQNUM	Reference message Sequence number.
58	Text	N	STRING (1-128)	Free format text string.
372	RefMsgType	Y	STRING	The MsgType (35) of the FIX message being referenced.
380	BusinessRejectReason	Y	INT	Code to identify reason for a Business Message Reject message. Valid values are listed after this table.
379	BusinessRejectRefID	N	STRING (1-20)	The value of the business-level ID field on the message being referenced.
<Trailer />				

Valid Values of BusinessRejectReason (datatype INT)

Valid Value	Description
0	Other
3	Unsupported message type
4	Application not available
5	Conditionally required field missing
8	Throttle limit exceeded
102	Service temporarily not available
103	Service not available
105	Error converting response or broadcast
200	Internal technical error
210	Validation Error
211	User already logged in
217	Session login limit (per time interval) reached
223	User Entitlement Data time out
225	User login tries limit (per time interval) reached
226	Limit of outstanding session/user logins reached (per Business Unit)
227	Limit of outstanding session/user logins reached (per Session)
10000	Order not found
10001	Price not reasonable
10002	Duplicate Order (COrdID)
10003	another quote activation request is pending for the same Product / Instrument Type / SessionID
10006	Stop buy price not reasonable
10007	Stop sell price not reasonable

10008	GFD order is not executable on current business day
10009	BOC order rejected in state other than cont.
10011	Order maintenance not allowed in current state
10012	Order not accepted in Volatility Freeze

8.12 Security Status Definition Request

The Security Status Definition Request is used to send knockout and soldout requests (T7 Boerse Frankfurt).

Tag	Field Name	Req'd	Data Type	Description								
<Header with MsgType='U27' />												
<Parties>, cardinality: 1, record counter: NoPartyIDs (453), containing occurrences: entering_trader*												
448	PartyID	Y	STRING (1-35)	Party identifier/code.								
447	PartyIDSource	Y	CHAR	Identifies class or source of the PartyID (448) value. Required if PartyID is specified. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>D</td> <td>Proprietary custom code</td> </tr> </tbody> </table>	Value	Description	D	Proprietary custom code				
Value	Description											
D	Proprietary custom code											
452	PartyRole	Y	INT	Party Role. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>36</td> <td>Entering trader</td> </tr> </tbody> </table>	Value	Description	36	Entering trader				
Value	Description											
36	Entering trader											
2376	PartyRoleQualifier	N	INT	Indicates the nature of value submitted in the field PartyID (448). PartyRoleQualifier (2376) = 21 (Specialist) and 22 (Algorithm) are only possible together with PartyIDSource (447) = 'D'. PartyRoleQualifier (2376) = 24 (Natural person) is only possible together with PartyID-Source (447) = 'P'. PartyRoleQualifier (2376) = 21 (Specialist) is not allowed in request messages. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>21</td> <td>Specialist</td> </tr> <tr> <td>22</td> <td>Algorithm</td> </tr> <tr> <td>24</td> <td>Natural person</td> </tr> </tbody> </table>	Value	Description	21	Specialist	22	Algorithm	24	Natural person
Value	Description											
21	Specialist											
22	Algorithm											
24	Natural person											
802	NoPartySubIDs	N	NUMINGROUP	Number of PartySubIDs. Only one entry. Only in combination with PartyRole (452) = 7 (Entering firm), 12 (Executing trader) and 36 (Entering trader) possible.								
523	PartySubID	N	STRING (1-6)	Firm or Trader Short Name, depending on the value of field PartySubIDType(803).								
803	PartySubIDType	N	INT	Type of PartySubID. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Firm</td> </tr> <tr> <td>2</td> <td>Person</td> </tr> </tbody> </table>	Value	Description	1	Firm	2	Person		
Value	Description											
1	Firm											
2	Person											
</Parties>												
<Instrument>												

Tag	Field Name	Req'd	Data Type	Description												
55	Symbol	Y	STRING (1-10)	T7 product identifier. Field must be set to '[N/A]' in FIX requests where the ISIN is used as instrument identifier.												
48	SecurityID	N	INT(20)	T7 instrument identifier.												
22	SecurityIDSource	N	STRING (1)	Source of the securityID <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>M</td> <td>Marketplace-assigned identifier</td> </tr> </tbody> </table>	Value	Description	M	Marketplace-assigned identifier								
Value	Description															
M	Marketplace-assigned identifier															
<i><SecurityAltIDGrp>, cardinality: 0-1, record counter: NoSecurityAltID (454)</i>																
455	>SecurityAltID	Y	STRING (1-12)	Security identifier as ISIN												
456	>SecurityAltIDSource	Y	STRING (1)	Source of the SecurityAltID (455). Only ISIN is allowed. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>ISIN</td> </tr> </tbody> </table>	Value	Description	4	ISIN								
Value	Description															
4	ISIN															
<i></SecurityAltIDGrp></i>																
223	CouponRate	N	PERCENTAGE	The rate of interest that, when multiplied by the principal, par value, or face value of a bond, provides the currency amount of the periodic interest payment. The coupon is always cited, along with maturity, in any quotation of a bond's price.												
28890	DeliveryType	N	INT	Identifies type of settlement. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Auslandskassenverein (AKV)</td> </tr> <tr> <td>2</td> <td>Girosammelverwahrung (GS)</td> </tr> <tr> <td>3</td> <td>Streifbandverwahrung (STR)</td> </tr> <tr> <td>4</td> <td>Wertpapierrechnung (WPR)</td> </tr> <tr> <td>5</td> <td>Non-collective safe custody securities to be settled via T2S (AKT)</td> </tr> </tbody> </table>	Value	Description	1	Auslandskassenverein (AKV)	2	Girosammelverwahrung (GS)	3	Streifbandverwahrung (STR)	4	Wertpapierrechnung (WPR)	5	Non-collective safe custody securities to be settled via T2S (AKT)
Value	Description															
1	Auslandskassenverein (AKV)															
2	Girosammelverwahrung (GS)															
3	Streifbandverwahrung (STR)															
4	Wertpapierrechnung (WPR)															
5	Non-collective safe custody securities to be settled via T2S (AKT)															

Tag	Field Name	Req'd	Data Type	Description	
28896	LastCouponDeviation-Indicator	N	INT	Last coupon deviation indicator.	
				Value	Description
				0	None
				1	Short period
				2	Long period
				3	Only one coupon
				4	Short - two interest payments due
				5	Long - two interest payments due
6	Perpetual				
28897	RefinancingEligibility-Indicator	N	INT	Ability of a security to be accepted for refinancing.	
				Value	Description
				0	No
				1	Yes
</Instrument>					
<EvtGrp>, cardinality: unrestricted, record counter: NoEvents (864)					
865	EventType	Y	INT	Code to represent the type of event.	
				Value	Description
				26	Redemption
				100	Delisting
866	EventDate	N	LOCALMKT-DATE	Date of event in YYYYMMDD format.	
867	EventPx	N	PRICE	Price of issue at event.	
</EvtGrp>					
15	Currency	N	CURRENCY	Currency used for price. The combination of an ISIN with a defined currency will identify uniquely an instrument.	
320	SecurityReqID	Y	STRING (1-20)	Unique ID of a Security Definition Request.	
31965	SecurityStatus-Indicator	N	INT	Current state of the Instrument.	
				Value	Description
				6	Knocked out
				7	Knocked out revoked
				12	Knocked out and suspended

Tag	Field Name	Req'd	Data Type	Description						
25155	SoldOutIndicator	N	INT	Sold out indicator. <table border="1"><thead><tr><th>Value</th><th>Description</th></tr></thead><tbody><tr><td>0</td><td>Revert sold out</td></tr><tr><td>1</td><td>Sold out</td></tr></tbody></table>	Value	Description	0	Revert sold out	1	Sold out
Value	Description									
0	Revert sold out									
1	Sold out									
<Trailer />										

8.13 Security Status

The Security Status message is used as the application level response to a Security Status Definition Request (T7 Boerse Frankfurt).

Tag	Field Name	Req'd	Data Type	Description
<i><Header with MsgType='f' /></i>				
320	SecurityReqID	Y	STRING (1-20)	Unique ID of a Security Definition Request.
28781	SecurityStatusReport-ID	N	STRING	Transaction timestamp.
<i><Trailer /></i>				

8.14 Cross Request

The Cross Request message is used for the publication of Cross Trade Announcements.

Tag	Field Name	Req'd	Data Type	Description				
<i><Header with MsgType='UDS' /></i>								
<i><RootParties>, cardinality: 0-1, record counter: NoRootPartyIDs (1116), containing occurrences: root_entering_trader</i>								
1117	>RootPartyID	Y	STRING (1-10)	Root party identifier.				
1118	>RootPartyIDSource	Y	CHAR	Identifies class or source of the RootPartyID (1117) value. <table border="1" data-bbox="868 757 1286 842"> <tr> <td>Value</td> <td>Description</td> </tr> <tr> <td>D</td> <td>Proprietary custom code</td> </tr> </table>	Value	Description	D	Proprietary custom code
Value	Description							
D	Proprietary custom code							
1119	>RootPartyRole	Y	INT	Identifies the type role of the RootPartyID (1117) specified. <table border="1" data-bbox="868 949 1286 1034"> <tr> <td>Value</td> <td>Description</td> </tr> <tr> <td>36</td> <td>Entering trader</td> </tr> </table>	Value	Description	36	Entering trader
Value	Description							
36	Entering trader							
<i></RootParties></i>								
<i><Instrument></i>								
55	Symbol	Y	STRING (1-10)	T7 product identifier. Field must be set to '[N/A]' in FIX requests where the ISIN is used as instrument identifier.				
48	SecurityID	N	INT(20)	T7 instrument identifier.				
22	SecurityIDSource	N	STRING (1)	Source of the securityID <table border="1" data-bbox="868 1348 1286 1469"> <tr> <td>Value</td> <td>Description</td> </tr> <tr> <td>M</td> <td>Marketplace-assigned identifier</td> </tr> </table>	Value	Description	M	Marketplace-assigned identifier
Value	Description							
M	Marketplace-assigned identifier							
<i><SecurityAltIDGrp>, cardinality: 0-1, record counter: NoSecurityAltID (454)</i>								
455	>SecurityAltID	Y	STRING (1-12)	Security identifier as ISIN				
456	>SecurityAltIDSource	Y	STRING (1)	Source of the SecurityAltID (455). Only ISIN is allowed. <table border="1" data-bbox="868 1653 1286 1738"> <tr> <td>Value</td> <td>Description</td> </tr> <tr> <td>4</td> <td>ISIN</td> </tr> </table>	Value	Description	4	ISIN
Value	Description							
4	ISIN							
<i></SecurityAltIDGrp></i>								
223	CouponRate	N	PERCENTAGE	The rate of interest that, when multiplied by the principal, par value, or face value of a bond, provides the currency amount of the periodic interest payment. The coupon is always cited, along with maturity, in any quotation of a bond's price.				

Tag	Field Name	Req'd	Data Type	Description																
28890	DeliveryType	N	INT	Identifies type of settlement. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Auslandskassenverein (AKV)</td> </tr> <tr> <td>2</td> <td>Girosammelverwahrung (GS)</td> </tr> <tr> <td>3</td> <td>Streifbandverwahrung (STR)</td> </tr> <tr> <td>4</td> <td>Wertpapierrechnung (WPR)</td> </tr> <tr> <td>5</td> <td>Non-collective safe custody securities to be settled via T2S (AKT)</td> </tr> </tbody> </table>	Value	Description	1	Auslandskassenverein (AKV)	2	Girosammelverwahrung (GS)	3	Streifbandverwahrung (STR)	4	Wertpapierrechnung (WPR)	5	Non-collective safe custody securities to be settled via T2S (AKT)				
Value	Description																			
1	Auslandskassenverein (AKV)																			
2	Girosammelverwahrung (GS)																			
3	Streifbandverwahrung (STR)																			
4	Wertpapierrechnung (WPR)																			
5	Non-collective safe custody securities to be settled via T2S (AKT)																			
28896	LastCouponDeviation-Indicator	N	INT	Last coupon deviation indicator. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>None</td> </tr> <tr> <td>1</td> <td>Short period</td> </tr> <tr> <td>2</td> <td>Long period</td> </tr> <tr> <td>3</td> <td>Only one coupon</td> </tr> <tr> <td>4</td> <td>Short - two interest payments due</td> </tr> <tr> <td>5</td> <td>Long - two interest payments due</td> </tr> <tr> <td>6</td> <td>Perpetual</td> </tr> </tbody> </table>	Value	Description	0	None	1	Short period	2	Long period	3	Only one coupon	4	Short - two interest payments due	5	Long - two interest payments due	6	Perpetual
Value	Description																			
0	None																			
1	Short period																			
2	Long period																			
3	Only one coupon																			
4	Short - two interest payments due																			
5	Long - two interest payments due																			
6	Perpetual																			
28897	RefinancingEligibility-Indicator	N	INT	Ability of a security to be accepted for refinancing. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>No</td> </tr> <tr> <td>1</td> <td>Yes</td> </tr> </tbody> </table>	Value	Description	0	No	1	Yes										
Value	Description																			
0	No																			
1	Yes																			
<i></Instrument></i>																				
15	Currency	N	CURRENCY	Currency used for price. The combination of an ISIN with a defined currency will identify uniquely an instrument.																
38	OrderQty	Y	QTY	Total Order Quantity.																
2672	CrossRequestID	Y	INT	Unique identifier for cross request. Uniqueness will be completely within the user's responsibility.																
<i><Trailer /></i>																				

8.15 Quote Request

The Quote Request message is used to request public quotes from market makers (T7 Cash, T7 Derivatives) and private quotes from specialists (T7 Cash). This message is commonly referred to as a Request For Quote (RFQ).

Tag	Field Name	Req'd	Data Type	Description												
<i><Header with MsgType='R' /></i>																
<i><QuoteReqGrp>, cardinality: 1, record counter: NoRelatedSym (146)</i>																
<i><Instrument></i>																
55	Symbol	Y	STRING (1-10)	T7 product identifier. Field must be set to '[N/A]' in FIX requests where the ISIN is used as instrument identifier.												
48	SecurityID	N	INT(20)	T7 instrument identifier.												
22	SecurityIDSource	N	STRING (1)	Source of the securityID <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>M</td> <td>Marketplace-assigned identifier</td> </tr> </tbody> </table>	Value	Description	M	Marketplace-assigned identifier								
Value	Description															
M	Marketplace-assigned identifier															
<i><SecurityAltIDGrp>, cardinality: 0-1, record counter: NoSecurityAltID (454)</i>																
455	>SecurityAltID	Y	STRING (1-12)	Security identifier as ISIN												
456	>SecurityAltIDSource	Y	STRING (1)	Source of the SecurityAltID (455). Only ISIN is allowed. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>ISIN</td> </tr> </tbody> </table>	Value	Description	4	ISIN								
Value	Description															
4	ISIN															
<i></SecurityAltIDGrp></i>																
223	CouponRate	N	PERCENTAGE	The rate of interest that, when multiplied by the principal, par value, or face value of a bond, provides the currency amount of the periodic interest payment. The coupon is always cited, along with maturity, in any quotation of a bond's price.												
28890	DeliveryType	N	INT	Identifies type of settlement. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Auslandskassenverein (AKV)</td> </tr> <tr> <td>2</td> <td>Girosammelverwahrung (GS)</td> </tr> <tr> <td>3</td> <td>Streifbandverwahrung (STR)</td> </tr> <tr> <td>4</td> <td>Wertpapierrechnung (WPR)</td> </tr> <tr> <td>5</td> <td>Non-collective safe custody securities to be settled via T2S (AKT)</td> </tr> </tbody> </table>	Value	Description	1	Auslandskassenverein (AKV)	2	Girosammelverwahrung (GS)	3	Streifbandverwahrung (STR)	4	Wertpapierrechnung (WPR)	5	Non-collective safe custody securities to be settled via T2S (AKT)
Value	Description															
1	Auslandskassenverein (AKV)															
2	Girosammelverwahrung (GS)															
3	Streifbandverwahrung (STR)															
4	Wertpapierrechnung (WPR)															
5	Non-collective safe custody securities to be settled via T2S (AKT)															

Tag	Field Name	Req'd	Data Type	Description																
28896	LastCouponDeviation-Indicator	N	INT	Last coupon deviation indicator. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>None</td> </tr> <tr> <td>1</td> <td>Short period</td> </tr> <tr> <td>2</td> <td>Long period</td> </tr> <tr> <td>3</td> <td>Only one coupon</td> </tr> <tr> <td>4</td> <td>Short - two interest payments due</td> </tr> <tr> <td>5</td> <td>Long - two interest payments due</td> </tr> <tr> <td>6</td> <td>Perpetual</td> </tr> </tbody> </table>	Value	Description	0	None	1	Short period	2	Long period	3	Only one coupon	4	Short - two interest payments due	5	Long - two interest payments due	6	Perpetual
Value	Description																			
0	None																			
1	Short period																			
2	Long period																			
3	Only one coupon																			
4	Short - two interest payments due																			
5	Long - two interest payments due																			
6	Perpetual																			
28897	RefinancingEligibility-Indicator	N	INT	Ability of a security to be accepted for refinancing. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>No</td> </tr> <tr> <td>1</td> <td>Yes</td> </tr> </tbody> </table>	Value	Description	0	No	1	Yes										
Value	Description																			
0	No																			
1	Yes																			
<i></Instrument></i>																				
54	Side	N	CHAR	Side <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Buy</td> </tr> <tr> <td>2</td> <td>Sell</td> </tr> </tbody> </table>	Value	Description	1	Buy	2	Sell										
Value	Description																			
1	Buy																			
2	Sell																			
38	OrderQty	N	QTY	Total Order Quantity.																
15	Currency	N	CURRENCY	Currency used for price. The combination of an ISIN with a defined currency will identify uniquely an instrument.																
<i><Parties>, cardinality: 1, record counter: NoPartyIDs (453), containing occurrences: entering_trader*</i>																				
448	PartyID	Y	STRING (1-35)	Party identifier/code.																
447	PartyIDSource	Y	CHAR	Identifies class or source of the PartyID (448) value. Required if PartyID is specified. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>D</td> <td>Proprietary custom code</td> </tr> </tbody> </table>	Value	Description	D	Proprietary custom code												
Value	Description																			
D	Proprietary custom code																			
452	PartyRole	Y	INT	Party Role. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>36</td> <td>Entering trader</td> </tr> </tbody> </table>	Value	Description	36	Entering trader												
Value	Description																			
36	Entering trader																			

Tag	Field Name	Req'd	Data Type	Description								
2376	PartyRoleQualifier	N	INT	<p>Indicates the nature of value submitted in the field PartyID (448). PartyRoleQualifier (2376) = 21 (Specialist) and 22 (Algorithm) are only possible together with PartyIDSource (447) = 'D'. PartyRoleQualifier (2376) = 24 (Natural person) is only possible together with PartyIDSource (447) = 'P'. PartyRoleQualifier (2376) = 21 (Specialist) is not allowed in request messages.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>21</td> <td>Specialist</td> </tr> <tr> <td>22</td> <td>Algorithm</td> </tr> <tr> <td>24</td> <td>Natural person</td> </tr> </tbody> </table>	Value	Description	21	Specialist	22	Algorithm	24	Natural person
Value	Description											
21	Specialist											
22	Algorithm											
24	Natural person											
802	NoPartySubIDs	N	NUMINGROUP	Number of PartySubIDs. Only one entry. Only in combination with PartyRole (452) = 7 (Entering firm), 12 (Executing trader) and 36 (Entering trader) possible.								
523	PartySubID	N	STRING (1-6)	Firm or Trader Short Name, depending on the value of field PartySubIDType(803).								
803	PartySubIDType	N	INT	<p>Type of PartySubID.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Firm</td> </tr> <tr> <td>2</td> <td>Person</td> </tr> </tbody> </table>	Value	Description	1	Firm	2	Person		
Value	Description											
1	Firm											
2	Person											
</Parties>												
</QuoteReqGrp>												
131	QuoteReqID	Y	STRING (1-20)	Unique identifier of a quote request message.								
1171	PrivateQuote	N	BOOLEAN	<p>Used to indicate whether the message is sent to request a public or a private quote.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Y</td> <td>Private Quote</td> </tr> <tr> <td>N</td> <td>Public Quote</td> </tr> </tbody> </table>	Value	Description	Y	Private Quote	N	Public Quote		
Value	Description											
Y	Private Quote											
N	Public Quote											
25139	RFQRequester-DisclosureInstruction	N	INT	<p>Instruction to disclose the business unit name of the requester of a public quote. Required in requests for public quotes. Not allowed in requests for private quotes.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>No</td> </tr> <tr> <td>1</td> <td>Yes</td> </tr> </tbody> </table>	Value	Description	0	No	1	Yes		
Value	Description											
0	No											
1	Yes											

Tag	Field Name	Req'd	Data Type	Description												
28761	RFQPublishIndicator	N	INT	<p>Recipients of the request for a public quote. Required in requests for public quotes. Not allowed in requests for private quotes.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Market Data</td> </tr> <tr> <td>2</td> <td>Designated Sponsor</td> </tr> <tr> <td>3</td> <td>Market Data and Designated Sponsor</td> </tr> <tr> <td>4</td> <td>Market Maker and Designated Sponsor</td> </tr> <tr> <td>5</td> <td>Market Data, Market Maker and Designated Sponsor</td> </tr> </tbody> </table>	Value	Description	1	Market Data	2	Designated Sponsor	3	Market Data and Designated Sponsor	4	Market Maker and Designated Sponsor	5	Market Data, Market Maker and Designated Sponsor
Value	Description															
1	Market Data															
2	Designated Sponsor															
3	Market Data and Designated Sponsor															
4	Market Maker and Designated Sponsor															
5	Market Data, Market Maker and Designated Sponsor															
<i><Trailer /></i>																

8.16 Quote

The Quote message is used as the response to a private Quote Request.

Tag	Field Name	Req'd	Data Type	Description												
<i><Header with MsgType='S' /></i>																
<i><Instrument></i>																
55	Symbol	Y	STRING (1-10)	T7 product identifier. Field must be set to '[N/A]' in FIX requests where the ISIN is used as instrument identifier.												
48	SecurityID	N	INT(20)	T7 instrument identifier.												
22	SecurityIDSource	N	STRING (1)	Source of the securityID <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>M</td> <td>Marketplace-assigned identifier</td> </tr> </tbody> </table>	Value	Description	M	Marketplace-assigned identifier								
Value	Description															
M	Marketplace-assigned identifier															
<i><SecurityAltIDGrp>, cardinality: 0-1, record counter: NoSecurityAltID (454)</i>																
455	>SecurityAltID	Y	STRING (1-12)	Security identifier as ISIN												
456	>SecurityAltIDSource	Y	STRING (1)	Source of the SecurityAltID (455). Only ISIN is allowed. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>ISIN</td> </tr> </tbody> </table>	Value	Description	4	ISIN								
Value	Description															
4	ISIN															
<i></SecurityAltIDGrp></i>																
223	CouponRate	N	PERCENTAGE	The rate of interest that, when multiplied by the principal, par value, or face value of a bond, provides the currency amount of the periodic interest payment. The coupon is always cited, along with maturity, in any quotation of a bond's price.												
28890	DeliveryType	N	INT	Identifies type of settlement. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Auslandskassenverein (AKV)</td> </tr> <tr> <td>2</td> <td>Girosammelverwahrung (GS)</td> </tr> <tr> <td>3</td> <td>Streifbandverwahrung (STR)</td> </tr> <tr> <td>4</td> <td>Wertpapierrechnung (WPR)</td> </tr> <tr> <td>5</td> <td>Non-collective safe custody securities to be settled via T2S (AKT)</td> </tr> </tbody> </table>	Value	Description	1	Auslandskassenverein (AKV)	2	Girosammelverwahrung (GS)	3	Streifbandverwahrung (STR)	4	Wertpapierrechnung (WPR)	5	Non-collective safe custody securities to be settled via T2S (AKT)
Value	Description															
1	Auslandskassenverein (AKV)															
2	Girosammelverwahrung (GS)															
3	Streifbandverwahrung (STR)															
4	Wertpapierrechnung (WPR)															
5	Non-collective safe custody securities to be settled via T2S (AKT)															

Tag	Field Name	Req'd	Data Type	Description	
28896	LastCouponDeviation-Indicator	N	INT	Last coupon deviation indicator.	
				Value	Description
				0	None
				1	Short period
				2	Long period
				3	Only one coupon
				4	Short - two interest payments due
				5	Long - two interest payments due
6	Perpetual				
28897	RefinancingEligibility-Indicator	N	INT	Ability of a security to be accepted for refinancing.	
				Value	Description
				0	No
				1	Yes
<i></Instrument></i>					
15	Currency	N	CURRENCY	Currency used for price. The combination of an ISIN with a defined currency will identify uniquely an instrument.	
117	QuoteID	Y	INT(20)	Unique identifier for quote.	
131	QuoteReqID	Y	STRING (1-20)	Unique identifier of a quote request message.	
132	BidPx	N	PRICE	Buy price of a quote.	
133	OfferPx	N	PRICE	Sell price of a quote.	
134	BidSize	N	QTY	Quantity on a buy side of a quote.	
135	OfferSize	N	QTY	Quantity on sell side of a quote.	
<i><Trailer /></i>					

8.17 Trading Session Status

The Trading Session Status message informs about session related events.

Tag	Field Name	Req'd	Data Type	Description								
<i><Header with MsgType='h' /></i>												
58	Text	N	STRING (1-128)	Free format text string.								
336	TradingSessionID	Y	INT	Identifier for trading session. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Day</td> </tr> </tbody> </table>	Value	Description	1	Day				
Value	Description											
1	Day											
1368	TradSesEvent	Y	INT	Trading session event type. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>103</td> <td>End of restatement</td> </tr> <tr> <td>201</td> <td>Message transmission ended</td> </tr> </tbody> </table>	Value	Description	103	End of restatement	201	Message transmission ended		
Value	Description											
103	End of restatement											
201	Message transmission ended											
340	TradSesStatus	Y	INT	State of the trading session. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Unknown</td> </tr> <tr> <td>2</td> <td>Open</td> </tr> <tr> <td>3</td> <td>Closed</td> </tr> </tbody> </table>	Value	Description	0	Unknown	2	Open	3	Closed
Value	Description											
0	Unknown											
2	Open											
3	Closed											
1300	MarketSegmentID	N	INT(10)	Product identifier.								
30060	UTransactTime	N	INT(20)	Transaction timestamp. Number of nanoseconds since Jan 1, 1970.								
30075	UTradeDate	N	LOCALMKT- DATE	Date of trading session in YYYYMMDD format.								
<i><Trailer /></i>												

8.18 User Party Entitlements Update Report

User Party Entitlements Update Report. This message communicates risk control events related to the manual stop or release of trading functionality. Events will be generated on the Clearing back end and passed to the user by the T7 back end.

Tag	Field Name	Req'd	Data Type	Description										
<i><Header with MsgType='UCZ' /></i>														
<i><Parties>, cardinality: 0-4, record counter: NoPartyIDs (453), containing occurrences: clearing_firm, entering_firm, executing_system, executing_unit</i>														
448	>PartyID	Y	STRING (1-35)	Party identifier/code.										
447	>PartyIDSource	Y	CHAR	Identifies class or source of the PartyID (448) value. Required if PartyID is specified. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>D</td> <td>Proprietary custom code</td> </tr> </tbody> </table>	Value	Description	D	Proprietary custom code						
Value	Description													
D	Proprietary custom code													
452	>PartyRole	Y	INT	Party Role. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>Clearing firm</td> </tr> <tr> <td>7</td> <td>Entering firm</td> </tr> <tr> <td>16</td> <td>Executing system</td> </tr> <tr> <td>59</td> <td>Executing unit</td> </tr> </tbody> </table>	Value	Description	4	Clearing firm	7	Entering firm	16	Executing system	59	Executing unit
Value	Description													
4	Clearing firm													
7	Entering firm													
16	Executing system													
59	Executing unit													
2376	>PartyRoleQualifier	N	INT	Indicates the nature of value submitted in the field PartyID (448). PartyRoleQualifier (2376) = 21 (Specialist) and 22 (Algorithm) are only possible together with PartyIDSource (447) = 'D'. PartyRoleQualifier (2376) = 24 (Natural person) is only possible together with PartyIDSource (447) = 'P'. PartyRoleQualifier (2376) = 21 (Specialist) is not allowed in request messages. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>21</td> <td>Specialist</td> </tr> <tr> <td>22</td> <td>Algorithm</td> </tr> <tr> <td>24</td> <td>Natural person</td> </tr> </tbody> </table>	Value	Description	21	Specialist	22	Algorithm	24	Natural person		
Value	Description													
21	Specialist													
22	Algorithm													
24	Natural person													
802	>NoPartySubIDs	N	NUMINGROUP	Number of PartySubIDs. Only one entry. Only in combination with PartyRole (452) = 7 (Entering firm), 12 (Executing trader) and 36 (Entering trader) possible.										
523	>PartySubID	N	STRING (1-6)	Firm or Trader Short Name, depending on the value of field PartySubIDType(803).										

Tag	Field Name	Req'd	Data Type	Description						
803	>PartySubIDType	N	INT	Type of PartySubID. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Firm</td> </tr> <tr> <td>2</td> <td>Person</td> </tr> </tbody> </table>	Value	Description	1	Firm	2	Person
Value	Description									
1	Firm									
2	Person									
</Parties>										
439	ClearingFirm	N	STRING	Firm that will clear the trade.						
75	TradeDate	N	LOCALMKT- DATE	Business date in YYYYMMDD format.						
1324	ListUpdateAction	N	CHAR	Invocation or release of a control event. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>Add (Invocation)</td> </tr> <tr> <td>D</td> <td>Delete (Release)</td> </tr> </tbody> </table>	Value	Description	A	Add (Invocation)	D	Delete (Release)
Value	Description									
A	Add (Invocation)									
D	Delete (Release)									
1672	PartyDetailStatus	N	INT	Member status. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Active</td> </tr> <tr> <td>1</td> <td>Suspended</td> </tr> </tbody> </table>	Value	Description	0	Active	1	Suspended
Value	Description									
0	Active									
1	Suspended									
30060	UTransactTime	Y	INT(20)	Transaction timestamp. Number of nanoseconds since Jan 1, 1970.						
1301	MarketID	Y	EXCHANGE	Market Identifier Code of the trading market according to ISO 10383.						
<Trailer />										

8.19 User Party Action Report

User Party Action Report. This message communicates risk control events of type halt-trading and re-instate. Events will be entered via the T7 Admin GUI.

Tag	Field Name	Req'd	Data Type	Description								
<i><Header with MsgType='UDI' /></i>												
<i><Parties>, cardinality: 1-2, record counter: NoPartyIDs (453), containing occurrences: executing_unit*, executing_trader</i>												
448	>PartyID	Y	STRING (1-35)	Party identifier/code.								
447	>PartyIDSource	Y	CHAR	Identifies class or source of the PartyID (448) value. Required if PartyID is specified. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>D</td> <td>Proprietary custom code</td> </tr> </tbody> </table>	Value	Description	D	Proprietary custom code				
Value	Description											
D	Proprietary custom code											
452	>PartyRole	Y	INT	Party Role. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>12</td> <td>Executing trader</td> </tr> <tr> <td>59</td> <td>Executing unit</td> </tr> </tbody> </table>	Value	Description	12	Executing trader	59	Executing unit		
Value	Description											
12	Executing trader											
59	Executing unit											
2376	>PartyRoleQualifier	N	INT	Indicates the nature of value submitted in the field PartyID (448). PartyRoleQualifier (2376) = 21 (Specialist) and 22 (Algorithm) are only possible together with PartyIDSource (447) = 'D'. PartyRoleQualifier (2376) = 24 (Natural person) is only possible together with PartyIDSource (447) = 'P'. PartyRoleQualifier (2376) = 21 (Specialist) is not allowed in request messages. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>21</td> <td>Specialist</td> </tr> <tr> <td>22</td> <td>Algorithm</td> </tr> <tr> <td>24</td> <td>Natural person</td> </tr> </tbody> </table>	Value	Description	21	Specialist	22	Algorithm	24	Natural person
Value	Description											
21	Specialist											
22	Algorithm											
24	Natural person											
802	>NoPartySubIDs	N	NUMINGROUP	Number of PartySubIDs. Only one entry. Only in combination with PartyRole (452) = 7 (Entering firm), 12 (Executing trader) and 36 (Entering trader) possible.								
523	>PartySubID	N	STRING (1-6)	Firm or Trader Short Name, depending on the value of field PartySubIDType(803).								
803	>PartySubIDType	N	INT	Type of PartySubID. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Firm</td> </tr> <tr> <td>2</td> <td>Person</td> </tr> </tbody> </table>	Value	Description	1	Firm	2	Person		
Value	Description											
1	Firm											
2	Person											
<i></Parties></i>												

Tag	Field Name	Req'd	Data Type	Description								
<i><RequestingParties>, cardinality: 1-3, record counter: NoRequestingPartyIDs (1657), containing occurrences: requesting_entering_firm, requesting_executing_system, requesting_executing_trader*</i>												
1658	>RequestingPartyID	Y	STRING	Party identifier for the requesting party.								
1659	>RequestingParty- IDSource	Y	CHAR	Identifies the source of the RequestingPartyID (1658) value. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>D</td> <td>Proprietary custom code</td> </tr> </tbody> </table>	Value	Description	D	Proprietary custom code				
Value	Description											
D	Proprietary custom code											
1660	>RequestingPartyRole	Y	INT	Identifies the type or role of the RequestingPartyID (1658) specified. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>7</td> <td>Entering firm</td> </tr> <tr> <td>12</td> <td>Executing trader</td> </tr> <tr> <td>16</td> <td>Executing system</td> </tr> </tbody> </table>	Value	Description	7	Entering firm	12	Executing trader	16	Executing system
Value	Description											
7	Entering firm											
12	Executing trader											
16	Executing system											
<i></RequestingParties></i>												
2329	PartyActionType	N	INT	Party Action Type. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Halt Trading</td> </tr> <tr> <td>2</td> <td>Reinstate</td> </tr> </tbody> </table>	Value	Description	1	Halt Trading	2	Reinstate		
Value	Description											
1	Halt Trading											
2	Reinstate											
30060	UTransactTime	Y	INT(20)	Transaction timestamp. Number of nanoseconds since Jan 1, 1970.								
75	TradeDate	Y	LOCALMKT- DATE	Business date in YYYYMMDD format.								
1301	MarketID	Y	EXCHANGE	Market Identifier Code of the trading market according to ISO 10383.								
<i><Trailer /></i>												

8.20 User Party Risk Limits Update Report

User Party Risk Limits Update Report. This message communicates risk control events related to the Advanced Risk Protection functionality of T7 in case of a risk limit breach or release.

Tag	Field Name	Req'd	Data Type	Description										
<i><Header with MsgType='UCR' /></i>														
<i><Parties>, cardinality: 0-4, record counter: NoPartyIDs (453), containing occurrences: clearing_firm, entering_firm, executing_system, executing_unit</i>														
448	>PartyID	Y	STRING (1-35)	Party identifier/code.										
447	>PartyIDSource	Y	CHAR	Identifies class or source of the PartyID (448) value. Required if PartyID is specified. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>D</td> <td>Proprietary custom code</td> </tr> </tbody> </table>	Value	Description	D	Proprietary custom code						
Value	Description													
D	Proprietary custom code													
452	>PartyRole	Y	INT	Party Role. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>Clearing firm</td> </tr> <tr> <td>7</td> <td>Entering firm</td> </tr> <tr> <td>16</td> <td>Executing system</td> </tr> <tr> <td>59</td> <td>Executing unit</td> </tr> </tbody> </table>	Value	Description	4	Clearing firm	7	Entering firm	16	Executing system	59	Executing unit
Value	Description													
4	Clearing firm													
7	Entering firm													
16	Executing system													
59	Executing unit													
2376	>PartyRoleQualifier	N	INT	Indicates the nature of value submitted in the field PartyID (448). PartyRoleQualifier (2376) = 21 (Specialist) and 22 (Algorithm) are only possible together with PartyIDSource (447) = 'D'. PartyRoleQualifier (2376) = 24 (Natural person) is only possible together with PartyIDSource (447) = 'P'. PartyRoleQualifier (2376) = 21 (Specialist) is not allowed in request messages. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>21</td> <td>Specialist</td> </tr> <tr> <td>22</td> <td>Algorithm</td> </tr> <tr> <td>24</td> <td>Natural person</td> </tr> </tbody> </table>	Value	Description	21	Specialist	22	Algorithm	24	Natural person		
Value	Description													
21	Specialist													
22	Algorithm													
24	Natural person													
802	>NoPartySubIDs	N	NUMINGROUP	Number of PartySubIDs. Only one entry. Only in combination with PartyRole (452) = 7 (Entering firm), 12 (Executing trader) and 36 (Entering trader) possible.										
523	>PartySubID	N	STRING (1-6)	Firm or Trader Short Name, depending on the value of field PartySubIDType(803).										

Tag	Field Name	Req'd	Data Type	Description						
803	>PartySubIDType	N	INT	Type of PartySubID. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Firm</td> </tr> <tr> <td>2</td> <td>Person</td> </tr> </tbody> </table>	Value	Description	1	Firm	2	Person
Value	Description									
1	Firm									
2	Person									
<i></Parties></i>										
439	ClearingFirm	Y	STRING	Firm that will clear the trade.						
75	TradeDate	Y	LOCALMKT- DATE	Business date in YYYYMMDD format.						
1324	ListUpdateAction	N	CHAR	Invocation or release of a control event. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>Add (Invocation)</td> </tr> <tr> <td>D</td> <td>Delete (Release)</td> </tr> </tbody> </table>	Value	Description	A	Add (Invocation)	D	Delete (Release)
Value	Description									
A	Add (Invocation)									
D	Delete (Release)									
1767	RiskLimitAction	N	INT	Risk protection action.						
30060	UTransactTime	Y	INT(20)	Transaction timestamp. Number of nanoseconds since Jan 1, 1970.						
1301	MarketID	Y	EXCHANGE	Market Identifier Code of the trading market according to ISO 10383.						
<i><Trailer /></i>										

8.21 Session Details List

Session Details List provides a list of all trading sessions of the own business unit.

Tag	Field Name	Req'd	Data Type	Description										
<i><Header with MsgType='U6' /></i>														
<i><SessionGrp>, cardinality: unrestricted, record counter: NoSessions (28734)</i>														
28766	GatewaySessionID	Y	INT(10)	Identifier of an T7 session ID.										
28730	SessionMode	Y	INT	The session type. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>ETI High Frequency session</td> </tr> <tr> <td>1</td> <td>ETI Low Frequency session</td> </tr> <tr> <td>2</td> <td>T7 GUI session</td> </tr> <tr> <td>3</td> <td>FIX LF session</td> </tr> </tbody> </table>	Value	Description	0	ETI High Frequency session	1	ETI Low Frequency session	2	T7 GUI session	3	FIX LF session
Value	Description													
0	ETI High Frequency session													
1	ETI Low Frequency session													
2	T7 GUI session													
3	FIX LF session													
28735	SessionSubMode	Y	INT	The session subtype. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Regular Trading session</td> </tr> <tr> <td>1</td> <td>FIX Trading session</td> </tr> </tbody> </table>	Value	Description	0	Regular Trading session	1	FIX Trading session				
Value	Description													
0	Regular Trading session													
1	FIX Trading session													
28767	SecondarySessionID	N	STRING	FIX session ComplID. Set only for FIX LF sessions.										
<i></SessionGrp></i>														
30060	UTransactTime	Y	INT(20)	Transaction timestamp. Number of nanoseconds since Jan 1, 1970.										
<i><Trailer /></i>														

8.22 Trade Capture Report

The Trade Capture Report message is used to report trades and trade reversals via FIX Back-office sessions.

Tag	Field Name	Req'd	Data Type	Description												
<i><Header with MsgType='AE' /></i>																
<i><Instrument></i>																
55	Symbol	Y	STRING (1-10)	T7 product identifier. Field must be set to '[N/A]' in FIX requests where the ISIN is used as instrument identifier.												
48	SecurityID	N	INT(20)	T7 instrument identifier.												
22	SecurityIDSource	N	STRING (1)	Source of the securityID <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>M</td> <td>Marketplace-assigned identifier</td> </tr> </tbody> </table>	Value	Description	M	Marketplace-assigned identifier								
Value	Description															
M	Marketplace-assigned identifier															
<i><SecurityAltIDGrp>, cardinality: 0-1, record counter: NoSecurityAltID (454)</i>																
455	>SecurityAltID	Y	STRING (1-12)	Security identifier as ISIN												
456	>SecurityAltIDSource	Y	STRING (1)	Source of the SecurityAltID (455). Only ISIN is allowed. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>ISIN</td> </tr> </tbody> </table>	Value	Description	4	ISIN								
Value	Description															
4	ISIN															
<i></SecurityAltIDGrp></i>																
223	CouponRate	N	PERCENTAGE	The rate of interest that, when multiplied by the principal, par value, or face value of a bond, provides the currency amount of the periodic interest payment. The coupon is always cited, along with maturity, in any quotation of a bond's price.												
28890	DeliveryType	N	INT	Identifies type of settlement. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Auslandskassenverein (AKV)</td> </tr> <tr> <td>2</td> <td>Girosammelverwahrung (GS)</td> </tr> <tr> <td>3</td> <td>Streifbandverwahrung (STR)</td> </tr> <tr> <td>4</td> <td>Wertpapierrechnung (WPR)</td> </tr> <tr> <td>5</td> <td>Non-collective safe custody securities to be settled via T2S (AKT)</td> </tr> </tbody> </table>	Value	Description	1	Auslandskassenverein (AKV)	2	Girosammelverwahrung (GS)	3	Streifbandverwahrung (STR)	4	Wertpapierrechnung (WPR)	5	Non-collective safe custody securities to be settled via T2S (AKT)
Value	Description															
1	Auslandskassenverein (AKV)															
2	Girosammelverwahrung (GS)															
3	Streifbandverwahrung (STR)															
4	Wertpapierrechnung (WPR)															
5	Non-collective safe custody securities to be settled via T2S (AKT)															

Tag	Field Name	Req'd	Data Type	Description	
28896	LastCouponDeviation-Indicator	N	INT	Last coupon deviation indicator.	
				Value	Description
				0	None
				1	Short period
				2	Long period
				3	Only one coupon
				4	Short - two interest payments due
				5	Long - two interest payments due
6	Perpetual				
28897	RefinancingEligibility-Indicator	N	INT	Ability of a security to be accepted for refinancing.	
				Value	Description
				0	No
				1	Yes
<i></Instrument></i>					
<i><RegulatoryTradeIDGrp>, cardinality: 1, record counter: NoRegulatoryTradeIDs (1907)</i>					
1903	RegulatoryTradeID	N	STRING	Trading Venue Transaction Identifier (TVTIC).	
1906	RegulatoryTrade-IDType	N	INT	Specifies the type of trade identifier provided in RegulatoryTradeID (1903).	
				Value	Description
				5	Trading venue transaction identifier (TVTIC)
<i></RegulatoryTradeIDGrp></i>					
<i><SRQSRelatedTradeIDGrp>, cardinality: 0-1, record counter: NoSRQSRelatedTradeIDs (25174)</i>					
25152	>SRQSRelatedTrade-ID	N	INT(10)	Provides together with the NegotiationID a link to the corresponding Xetra/Eurex Enlight deal.	
<i></SRQSRelatedTradeIDGrp></i>					
<i><RootParties>, cardinality: 0-1, record counter: NoRootPartyIDs (1116), containing occurrences: root_execution_venue</i>					
1117	>RootPartyID	Y	STRING (1-10)	Root party identifier.	
1118	>RootPartyIDSource	Y	CHAR	Identifies class or source of the RootPartyID (1117) value.	
				Value	Description
				G	Market identifier code

Tag	Field Name	Req'd	Data Type	Description																														
1119	>RootPartyRole	Y	INT	Identifies the type role of the RootPartyID (1117) specified. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>73</td> <td>Execution venue</td> </tr> </tbody> </table>	Value	Description	73	Execution venue																										
Value	Description																																	
73	Execution venue																																	
</RootParties>																																		
<TrdCapRptSideGrp>, cardinality: 1-2, record counter: NoSides (552), containing occurrences: Side1*, Side2																																		
54	>Side	Y	CHAR	Side of trade. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Buy</td> </tr> <tr> <td>2</td> <td>Sell</td> </tr> </tbody> </table>	Value	Description	1	Buy	2	Sell																								
Value	Description																																	
1	Buy																																	
2	Sell																																	
1005	>SideTradeReportID	N	INT(10)	Used on a multi-sided trade to designate the ReportID.																														
1506	>SideTradeID	N	INT(10)	Used to represent the trade ID for each side of the trade assigned by an intermediary.																														
<Parties>, cardinality: 1-23, record counter: NoPartyIDs (453)																																		
448	>PartyID	Y	STRING (1-35)	Party identifier/code.																														
447	>PartyIDSource	Y	CHAR	Identifies class or source of the PartyID (448) value. Required if PartyID is specified. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>D</td> <td>Proprietary custom code</td> </tr> <tr> <td>H</td> <td>Kassenverein number</td> </tr> <tr> <td>P</td> <td>Short code identifier</td> </tr> </tbody> </table>	Value	Description	D	Proprietary custom code	H	Kassenverein number	P	Short code identifier																						
Value	Description																																	
D	Proprietary custom code																																	
H	Kassenverein number																																	
P	Short code identifier																																	
452	>PartyRole	Y	INT	Party Role. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Executing firm</td> </tr> <tr> <td>3</td> <td>Client ID</td> </tr> <tr> <td>4</td> <td>Clearing firm</td> </tr> <tr> <td>7</td> <td>Entering firm</td> </tr> <tr> <td>10</td> <td>Settlement location</td> </tr> <tr> <td>12</td> <td>Executing trader</td> </tr> <tr> <td>16</td> <td>Executing system</td> </tr> <tr> <td>36</td> <td>Entering trader</td> </tr> <tr> <td>55</td> <td>Session ID</td> </tr> <tr> <td>59</td> <td>Executing unit</td> </tr> <tr> <td>66</td> <td>Market Maker</td> </tr> <tr> <td>90</td> <td>Settlement Firm</td> </tr> <tr> <td>91</td> <td>Settlement Account</td> </tr> <tr> <td>122</td> <td>Investment decision maker</td> </tr> </tbody> </table>	Value	Description	1	Executing firm	3	Client ID	4	Clearing firm	7	Entering firm	10	Settlement location	12	Executing trader	16	Executing system	36	Entering trader	55	Session ID	59	Executing unit	66	Market Maker	90	Settlement Firm	91	Settlement Account	122	Investment decision maker
Value	Description																																	
1	Executing firm																																	
3	Client ID																																	
4	Clearing firm																																	
7	Entering firm																																	
10	Settlement location																																	
12	Executing trader																																	
16	Executing system																																	
36	Entering trader																																	
55	Session ID																																	
59	Executing unit																																	
66	Market Maker																																	
90	Settlement Firm																																	
91	Settlement Account																																	
122	Investment decision maker																																	

Tag	Field Name	Req'd	Data Type	Description								
2376	>PartyRoleQualifier	N	INT	Indicates the nature of value submitted in the field PartyID (448). PartyRoleQualifier (2376) = 21 (Specialist) and 22 (Algorithm) are only possible together with PartyIDSource (447) = 'D'. PartyRoleQualifier (2376) = 24 (Natural person) is only possible together with PartyIDSource (447) = 'P'. PartyRoleQualifier (2376) = 21 (Specialist) is not allowed in request messages. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>21</td> <td>Specialist</td> </tr> <tr> <td>22</td> <td>Algorithm</td> </tr> <tr> <td>24</td> <td>Natural person</td> </tr> </tbody> </table>	Value	Description	21	Specialist	22	Algorithm	24	Natural person
Value	Description											
21	Specialist											
22	Algorithm											
24	Natural person											
802	>NoPartySubIDs	N	NUMINGROUP	Number of PartySubIDs. Only one entry. Only in combination with PartyRole (452) = 7 (Entering firm), 12 (Executing trader) and 36 (Entering trader) possible.								
523	>PartySubID	N	STRING (1-6)	Firm or Trader Short Name, depending on the value of field PartySubIDType(803).								
803	>PartySubIDType	N	INT	Type of PartySubID. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Firm</td> </tr> <tr> <td>2</td> <td>Person</td> </tr> </tbody> </table>	Value	Description	1	Firm	2	Person		
Value	Description											
1	Firm											
2	Person											
<i></Parties></i>												
25027	>PartyIDClearingUnit	N	STRING	Party ID Clearing Unit.								
25120	>PartyIDSettlement-Unit	N	STRING	Party ID Settlement Unit.								
1	>Account	N	STRING (1-2)	Account.								
<i><ClrInstGrp>, cardinality: 1, record counter: NoClearingInstructions (576)</i>												
577	ClearingInstruction	N	INT	Indicator to specify if a non-CCP trade is internalised or aggregated. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>Bilateral netting only (aggregation)</td> </tr> <tr> <td>13</td> <td>Self clearing (internalisation)</td> </tr> </tbody> </table>	Value	Description	2	Bilateral netting only (aggregation)	13	Self clearing (internalisation)		
Value	Description											
2	Bilateral netting only (aggregation)											
13	Self clearing (internalisation)											
<i></ClrInstGrp></i>												
157	>NumDaysInterest	N	INT	Number of Days of Interest for convertible bonds and fixed income. Value may be negative.								

Tag	Field Name	Req'd	Data Type	Description								
159	>AccruedInterestAmt	N	AMT	Amount of Accrued Interest for convertible bonds and fixed income.								
119	>SettlCurrAmt	N	AMT	Total amount due expressed in settlement currency.								
155	>SettlCurrFxRate	N	FLOAT	Foreign exchange rate used to compute SettlCurrAmt (119) from Currency (15) to SettlCurrency (120). The exchange rate as a multiplicative factor, converting the settlement amount given in instrument currency into the settlement amount given in settlement currency. The multiplicative factor is calculated as settlement currency exchange rate to Euro divided by instrument currency exchange rate to Euro.								
25007	>FreeText1	N	STRING (1-12)	First free-format text field for trader-specific or customer-related comments.								
1072	>SideGrossTradeAmt	N	AMT	The gross trade amount for this side of the trade.								
1115	>OrderCategory	N	CHAR	Defines the type of interest behind a trade (fill or partial fill). <table border="1" data-bbox="869 1146 1286 1272"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Order</td> </tr> <tr> <td>2</td> <td>Quote</td> </tr> </tbody> </table>	Value	Description	1	Order	2	Quote		
Value	Description											
1	Order											
2	Quote											
1444	>SideLiquidityInd	N	INT	Indicates whether the order added or removed liquidity. Field is used only for on-book trades. <table border="1" data-bbox="869 1415 1286 1697"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Added Liquidity (passive)</td> </tr> <tr> <td>2</td> <td>Removed Liquidity (aggressive)</td> </tr> <tr> <td>4</td> <td>Auction (neither passive nor aggressive, includes VDO matching at midpoint)</td> </tr> </tbody> </table>	Value	Description	1	Added Liquidity (passive)	2	Removed Liquidity (aggressive)	4	Auction (neither passive nor aggressive, includes VDO matching at midpoint)
Value	Description											
1	Added Liquidity (passive)											
2	Removed Liquidity (aggressive)											
4	Auction (neither passive nor aggressive, includes VDO matching at midpoint)											
37	>OrderID	N	INT(20)	Exchange Order ID generated by the T7 system.								
11	>ClOrdID	N	STRING (1-20)	Unique customer defined order request identifier								

Tag	Field Name	Req'd	Data Type	Description												
40	>OrdType	N	CHAR	Order type. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Market</td> </tr> <tr> <td>2</td> <td>Limit</td> </tr> <tr> <td>3</td> <td>Stop</td> </tr> <tr> <td>4</td> <td>Stop limit</td> </tr> <tr> <td>P</td> <td>Pegged</td> </tr> </tbody> </table>	Value	Description	1	Market	2	Limit	3	Stop	4	Stop limit	P	Pegged
Value	Description															
1	Market															
2	Limit															
3	Stop															
4	Stop limit															
P	Pegged															
44	>Price	N	PRICE	Limit price.												
151	>LeavesQty	N	QTY	Quantity open for further execution. If the Ord-Status (39) is Canceled, Expired, Calculated, or Rejected (in which case the order is no longer active) then LeavesQty could be 0, otherwise LeavesQty = OrderQty (38) - CumQty (14).												
14	>CumQty	N	QTY	Cumulated executed quantity.												
<i><OrderAttributeGrp>, cardinality: 0-2, record counter: NoOrderAttributes (2593)</i>																
2594	>OrderAttributeType	N	INT	Type of order attribute. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>Liquidity Provision Activity Order</td> </tr> </tbody> </table>	Value	Description	2	Liquidity Provision Activity Order								
Value	Description															
2	Liquidity Provision Activity Order															
2595	>OrderAttributeValue	N	CHAR	Value associated with the order attribute type specified in OrderAttributeType (2594). <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Y</td> <td>Attribute is set.</td> </tr> </tbody> </table>	Value	Description	Y	Attribute is set.								
Value	Description															
Y	Attribute is set.															
<i></OrderAttributeGrp></i>																
25008	>FreeText2	N	STRING (1-12)	Second free-format text field for trader-specific or customer-related comments.												
25107	>FreeText4	N	STRING (1-16)	Fourth free-format text field for trader-specific or customer related comments.												
25108	>OrderIDSfx	N	INT(10)	Order identification suffix generated by the T7 system. An increase of the peak or overall quantity leads to a new timestamp, losing time priority and the assignment of a new order id suffix, whereas a reduction maintains the original timestamp and order id suffix.												
<i></TrdCapRptSideGrp></i>																
15	Currency	Y	CURRENCY	Currency used for price. The combination of an ISIN with a defined currency will identify uniquely an instrument.												
30	LastMkt	Y	EXCHANGE	Operating MIC. Market Identifier Code of the trading market according to ISO 10383.												

Tag	Field Name	Req'd	Data Type	Description																
31	LastPx	Y	PRICE	Price level.																
32	LastQty	Y	QTY	Quantity executed.																
64	SettlDate	Y	LOCALMKT- DATE	Specific date of trade settlement (Settlement-Date) in YYYYMMDD format.																
75	TradeDate	Y	LOCALMKT- DATE	Business date in YYYYMMDD format.																
120	SettlCurrency	Y	CURRENCY	Currency code of settlement denomination.																
571	TradeReportID	Y	INT	Unique identifier of the Trade Capture Report.																
574	MatchType	N	INT	The point in the matching process at which this trade was matched. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>Confirmed Trade Report</td> </tr> <tr> <td>4</td> <td>Auto Match Incoming</td> </tr> <tr> <td>5</td> <td>Cross Auction</td> </tr> <tr> <td>7</td> <td>Call Auction</td> </tr> <tr> <td>11</td> <td>Auto Match Resting</td> </tr> <tr> <td>12</td> <td>Auto Match at Midpoint (VDO)</td> </tr> <tr> <td>14</td> <td>Continuous Auction</td> </tr> </tbody> </table>	Value	Description	3	Confirmed Trade Report	4	Auto Match Incoming	5	Cross Auction	7	Call Auction	11	Auto Match Resting	12	Auto Match at Midpoint (VDO)	14	Continuous Auction
Value	Description																			
3	Confirmed Trade Report																			
4	Auto Match Incoming																			
5	Cross Auction																			
7	Call Auction																			
11	Auto Match Resting																			
12	Auto Match at Midpoint (VDO)																			
14	Continuous Auction																			
828	TrdType	Y	INT	Identifier of the trade type. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Regular Trade (on-book)</td> </tr> <tr> <td>54</td> <td>OTC</td> </tr> <tr> <td>1005</td> <td>Large in scale</td> </tr> <tr> <td>1006</td> <td>Xetra/Eurex EnLight triggered trade</td> </tr> </tbody> </table>	Value	Description	0	Regular Trade (on-book)	54	OTC	1005	Large in scale	1006	Xetra/Eurex EnLight triggered trade						
Value	Description																			
0	Regular Trade (on-book)																			
54	OTC																			
1005	Large in scale																			
1006	Xetra/Eurex EnLight triggered trade																			
830	TransferReason	Y	INT	Reason trade is being transferred <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Owner</td> </tr> <tr> <td>2</td> <td>Clearer</td> </tr> </tbody> </table>	Value	Description	1	Owner	2	Clearer										
Value	Description																			
1	Owner																			
2	Clearer																			
856	TradeReportType	Y	INT	Type of Trade Report. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Submit</td> </tr> <tr> <td>7</td> <td>(Locked-In) Trade Break</td> </tr> </tbody> </table>	Value	Description	0	Submit	7	(Locked-In) Trade Break										
Value	Description																			
0	Submit																			
7	(Locked-In) Trade Break																			
880	TrdMatchID	N	INT(10)	Identifier assigned to a trade by a matching system.																
1003	TradeID	Y	INT(10)	The unique ID assigned to the trade entity once it is received or matched by the exchange or central counterparty.																

Tag	Field Name	Req'd	Data Type	Description												
1011	MessageEventSource	Y	INT	Receiver of a message. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>200</td> <td>On-Book Trade Notification</td> </tr> <tr> <td>201</td> <td>TES Trade Notification</td> </tr> </tbody> </table>	Value	Description	200	On-Book Trade Notification	201	TES Trade Notification						
Value	Description															
200	On-Book Trade Notification															
201	TES Trade Notification															
1126	OrigTradeID	N	INT(10)	Used to preserve original trade id when original trade is being referenced in a subsequent trade transaction such as a transfer.												
1390	TradePublishIndicator	N	INT	Indicates if a trade should be or has been published via a market publication service. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>Deferred Publication</td> </tr> <tr> <td>3</td> <td>Published</td> </tr> </tbody> </table>	Value	Description	2	Deferred Publication	3	Published						
Value	Description															
2	Deferred Publication															
3	Published															
1724	OrderOrigination	N	INT	Direct market access identifier. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>5</td> <td>Direct market access</td> </tr> </tbody> </table>	Value	Description	5	Direct market access								
Value	Description															
5	Direct market access															
1815	TradingCapacity	N	INT	Trading capacity. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Customer (Agency)</td> </tr> <tr> <td>3</td> <td>Issuer/Liquidity Provider</td> </tr> <tr> <td>5</td> <td>Principal (Proprietary)</td> </tr> <tr> <td>6</td> <td>Market Maker</td> </tr> <tr> <td>9</td> <td>Riskless Principal</td> </tr> </tbody> </table>	Value	Description	1	Customer (Agency)	3	Issuer/Liquidity Provider	5	Principal (Proprietary)	6	Market Maker	9	Riskless Principal
Value	Description															
1	Customer (Agency)															
3	Issuer/Liquidity Provider															
5	Principal (Proprietary)															
6	Market Maker															
9	Riskless Principal															
2489	PackageID	N	INT(10)	Identifier for a TES trade.												
2490	TradeNumber	N	INT	Execution Counter. Number of Trade Capture Reports belonging to the same price level (match step) of a match event. Field is used only for on-book trades.												
28610	MatchSubType	N	INT	Indicates the call auction type the trade originates from. Field is used only for on-book trades. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Opening auction</td> </tr> <tr> <td>2</td> <td>Closing auction</td> </tr> <tr> <td>3</td> <td>Intraday auction</td> </tr> <tr> <td>4</td> <td>Circuit breaker auction</td> </tr> <tr> <td>5</td> <td>Trade at Close</td> </tr> </tbody> </table>	Value	Description	1	Opening auction	2	Closing auction	3	Intraday auction	4	Circuit breaker auction	5	Trade at Close
Value	Description															
1	Opening auction															
2	Closing auction															
3	Intraday auction															
4	Circuit breaker auction															
5	Trade at Close															
28758	NegotiationID	N	INT(10)	ID of a Xetra/Eurex EnLight negotiation.												
30060	UTransactTime	Y	INT(20)	Transaction timestamp. Number of nanoseconds since Jan 1, 1970.												

Deutsche Börse Group's T7 Release 10.0
FIX LF Interface
Cash Message Reference

Deutsche Börse Group

Build 100.500.0.ga-100005050-18

Tag	Field Name	Req'd	Data Type	Description
<Trailer />				

9 Occurrences

9.1 OrderAttributeGrp

This section contains all occurrences of structure "OrderAttributeGrp".

liquidity_provision_activity_order

Liquidity provision activity order.

- OrderAttributeType = LIQUIDITY_PROVISION_ACTIVITY_ORDER (mandatory)
- OrderAttributeValue (mandatory)

9.2 Parties

This section contains all occurrences of structure "Parties".

clearing_firm

Clearing firm information.

- PartyID (mandatory)
- PartyRole = CLEARING_FIRM (mandatory)
- PartyIDSource = PROPRIETARYCUSTOMCODE (mandatory)

clearing_unit

Party ID Clearing Unit.

- PartyID (mandatory)
- PartyRole = CLEARING_FIRM (mandatory)
- PartyIDSource = PROPRIETARYCUSTOMCODE (mandatory)

client_id

Client Identifier (short code).

- PartyID (mandatory)
- PartyRole = CLIENT_ID (mandatory)
- PartyIDSource = SHORT_CODE_IDENTIFIER (mandatory)

entering_firm

Entering Entity ID.

- PartyID (mandatory)
- PartyRole = ENTERING_FIRM (mandatory)
- PartyIDSource = PROPRIETARYCUSTOMCODE (mandatory)

entering_trader

Entering User ID.

- PartyID (mandatory)
- PartyRole = ENTERING_TRADER (mandatory)
- PartyIDSource = PROPRIETARYCUSTOMCODE (mandatory)

executing_firm

Executing firm information.

- PartyID (mandatory)
- PartyRole = EXECUTING_FIRM (mandatory)
- PartyIDSource = PROPRIETARYCUSTOMCODE (mandatory)

executing_firm_kvno

Executing firm information (Kassenverein number).

- PartyID (mandatory)
- PartyRole = EXECUTING_FIRM (mandatory)
- PartyIDSource = KASSENVEREIN_NUMBER (mandatory)

executing_system

Executing system information (2 = T7 Trading System).

- PartyID (mandatory)
- PartyRole = EXECUTING_SYSTEM (mandatory)
- PartyIDSource = PROPRIETARYCUSTOMCODE (mandatory)

executing_trader

Executing trader information.

- PartyID (mandatory)
- PartyRole = EXECUTING_TRADER (mandatory)
- PartyIDSource = PROPRIETARYCUSTOMCODE (mandatory)
- PartySubIDType = PERSON (optional)

executing_unit

Executing unit information.

- PartyID (mandatory)
- PartyRole = EXECUTING_UNIT (mandatory)
- PartyIDSource = PROPRIETARYCUSTOMCODE (mandatory)

execution_identifier_algo

Execution identifier algorithm. To be used mutually exclusive with 'execution_identifier_human'

- PartyID (mandatory)
- PartyRole = EXECUTING_TRADER (mandatory)
- PartyIDSource = PROPRIETARYCUSTOMCODE (mandatory)
- PartyRoleQualifier = ALGORITHM (mandatory)

execution_identifier_human

Execution identifier human. To be used mutually exclusive with 'execution_identifier_algorithm'

- PartyID (mandatory)
- PartyRole = EXECUTING_TRADER (mandatory)
- PartyIDSource = SHORT_CODE_IDENTIFIER (mandatory)
- PartyRoleQualifier = NATURAL_PERSON (mandatory)

investment_identifier_algo

Investment identifier algorithm. To be used mutually exclusive with 'investment_identifier_human'

- PartyID (mandatory)
- PartyRole = INVESTMENT_DECISION_MAKER (mandatory)
- PartyIDSource = PROPRIETARYCUSTOMCODE (mandatory)
- PartyRoleQualifier = ALGORITHM (mandatory)

investment_identifier_human

Investment identifier human. To be used mutually exclusive with 'investment_identifier_algorithm'

- PartyID (mandatory)
- PartyRole = INVESTMENT_DECISION_MAKER (mandatory)
- PartyIDSource = SHORT_CODE_IDENTIFIER (mandatory)
- PartyRoleQualifier = NATURAL_PERSON (mandatory)

session_ID

Session ID.

- PartyID (mandatory)
- PartyRole = SESSION_ID (mandatory)
- PartyIDSource = PROPRIETARYCUSTOMCODE (mandatory)

specialist_firm

Executing firm information.

- PartyID (mandatory)
- PartyRole = EXECUTING_FIRM (mandatory)
- PartyIDSource = PROPRIETARYCUSTOMCODE (mandatory)
- PartyRoleQualifier = SPECIALIST (optional)

specialist_trader

Information about the specialist trader (T7 Boerse Frankfurt).

- PartyID (mandatory)
- PartyRole = MARKET_MAKER (mandatory)
- PartyIDSource = PROPRIETARYCUSTOMCODE (mandatory)
- PartySubIDType = PERSON (optional)
- PartyRoleQualifier = SPECIALIST (optional)

9.3 RequestingParties

This section contains all occurrences of structure "RequestingParties".

requesting_entering_firm

Requesting entering firm information.

- RequestingPartyID (mandatory)
- RequestingPartyIDSource = PROPRIETARYCUSTOMCODE (mandatory)
- RequestingPartyRole = ENTERING_FIRM (mandatory)

requesting_executing_system

Requesting executing system information.

- RequestingPartyID (mandatory)
- RequestingPartyIDSource = PROPRIETARYCUSTOMCODE (mandatory)
- RequestingPartyRole = EXECUTING_SYSTEM (mandatory)

requesting_executing_trader

Requesting executing trader information.

- RequestingPartyID (mandatory)
- RequestingPartyIDSource = PROPRIETARYCUSTOMCODE (mandatory)
- RequestingPartyRole = EXECUTING_TRADER (mandatory)

9.4 RootParties

This section contains all occurrences of structure "RootParties".

root_entering_trader

Entering User ID

- RootPartyID (mandatory)
- RootPartyIDSource = PROPRIETARYCUSTOMCODE (mandatory)
- RootPartyRole = ENTERING_TRADER (mandatory)

root_execution_venue

Execution venue (segment MIC).

- RootPartyID (mandatory)
- RootPartyIDSource = MARKET_IDENTIFIER_CODE (mandatory)
- RootPartyRole = EXECUTION_VENUE (mandatory)

9.5 TargetParties

This section contains all occurrences of structure "TargetParties".

target_executing_trader

Executing trader information.

- TargetPartyID (mandatory)
- TargetPartyRole = EXECUTING_TRADER (mandatory)
- TargetPartyIDSource = PROPRIETARYCUSTOMCODE (mandatory)

target_session_ID

Session ID.

- TargetPartyID (mandatory)
- TargetPartyRole = SESSION_ID (mandatory)
- TargetPartyIDSource = PROPRIETARYCUSTOMCODE (mandatory)

9.6 TrdCapRptSideGrp

This section contains all occurrences of structure "TrdCapRptSideGrp".

Side1

Side 1 information.

- Side (mandatory)
- SideTradeReportID (mandatory)
- SideTradeID (mandatory)
- Parties (optional)
 - clearing_firm (mandatory)
 - executing_trader (mandatory)
 - executing_firm (mandatory)
 - executing_unit (mandatory)
 - executing_firm_kvno (mandatory)
 - session_ID (optional)
 - client_id (optional)
 - execution_identifier_human (optional)
 - execution_identifier_algo (optional)
 - investment_identifier_human (optional)
 - investment_identifier_algo (optional)
- PartyIDClearingUnit (optional)
- PartyIDSettlementUnit (optional)
- Account (optional)
- ClrInstGrp (optional)
- NumDaysInterest (optional)
- AccruedInterestAmt (optional)
- SettlCurrAmt (mandatory)
- SettlCurrFxRate (optional)
- FreeText1 (optional)
- SideGrossTradeAmt (optional)
- OrderCategory (optional)

- SideLiquidityInd (optional)
- OrderID (optional)
- OrdType (optional)
- Price (optional)
- LeavesQty (optional)
- CumQty (optional)
- OrderAttributeGrp (optional)
- FreeText2 (optional)
- FreeText4 (optional)
- OrderIDSfx (optional)

Side2

Side 2: counterparty information.

- Side (mandatory)
- Parties (optional)
 - [executing_firm](#) (optional)
 - [executing_unit](#) (optional)
 - [executing_firm_kvno](#) (mandatory)
 - [specialist_firm](#) (optional)
 - [specialist_trader](#) (optional)

9.7 ValueChecksGrp

This section contains all occurrences of structure "ValueChecksGrp".

notional_value_check

Notional value validation.

- ValueCheckType = NOTIONAL_VALUE_CHECK (mandatory)
- ValueCheckAction (mandatory)

price_check

Price validation.

- ValueCheckType = PRICE_CHECK (mandatory)
- ValueCheckAction (mandatory)

quantity_check

Quantity validation.

- ValueCheckType = QUANTITY_CHECK (mandatory)
- ValueCheckAction (mandatory)